FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABILITY

MSO-519
IDENTIFICATION NUMBER

COMMANDED BY

T. HUTTINGER, LT, , U. S. N.

Attached to:

MINE DIVISION EIGHTY-FIVE Division,

MINE SQUADRON EIGHT Squadron,

Flotilla,

U. S. ATLANTIC FLEET Fleet,

SIXTH NAVAL DISTRICT Naval District,

Commencing 0001R, 1 AUGUST (zone time and date), 19 62 ,

at CHARLESTON, SOUTH CAROLINA (location),

and ending 2400R, 31 AUGUST (zone time and date), 19 62 ,

at CHARLESTON, SOUTH CAROLINA (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO-519) ZONE DESCRIPTION 75R DATE Wednesday (Day) 1 (Date) August (Month), 19 62

AT/~~PASSAGE FROM~~ CHASN MINE CRAFT BASE. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	10	CLR	29.98	79	76	—	—	—	—	—	—
02	0	0	10	CLR	29.97	79	76	—	—	—	—	—	—
03	0	0	10	CLR	29.97	79	76	—	—	—	—	—	—
04	0	0	10	CLR	29.98	76	74	—	—	—	—	—	—
05	0	0	10	SCT	29.98	76	74	3	1600	NS	—	—	—
06	0	0	10	SCT	29.99	79	77	3	20000	NS/CI	—	—	—
07	320	1	10	SCT	30.00	82	80	2	20000	CI/NS	—	—	—
08	320	3	10	SCT	30.02	89	82	2	1600	CU	—	—	—
09	320	4	10	SCT	30.02	92	82	3	1600	CU	—	—	—
10	330	4	10	SCT	30.04	94	82	4	1600	CU	—	—	—
11	330	4	10	SCT	30.04	98	82	4	20000	CI	—	—	—
12	330	4	10	SCT	30.04	98	82	4	20000	CI	—	—	—
13	330	3	10	SCT	30.03	98	82	4	20000	CI	—	—	—
14	330	3	10	SCT	30.02	96	81	4	20000	CI	—	—	—
15	270	3	10	SCT	30.00	92	81	4	20000	CI	—	—	—
16	150	4	10	SCT	29.98	88	80	4	20000	CI	—	—	—
17	140	4	10	SCT	29.96	87	78	3	45000	CI/AC	—	—	—
18	140	4	10	SCT	29.99	86	78	4	45000	CI/AC	—	—	—
19	160	4	10	SCT	30.00	86	78	4	45000	AC	—	—	—
20	170	4	10	CLR	30.00	83	78	—	—	—	—	—	—
21	170	4	10	CLR	30.01	82	77	—	—	—	—	—	—
22	130	4	10	CLR	30.00	82	77	—	—	—	—	—	—
23	190	4	10	CLR	30.00	82	77	—	—	—	—	—	—
24	190	4	10	CLR	30.00	82	77	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

—

FUEL CONSUMED 0000–2400

179 —

REMARKS

00-04 Moored STARBOARD side To Pier SIERRA BERTH 2 AT U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, With STANDARD MOORING LINES Doubled To The Pier. Moored in A NEST OF Two Ships with U.S.S. SALUTE (MSO-472) outboard To PORT. SOPA is COMINCLANT AT U.S. NAVAL STATION. Ships PRESENT include VARIOUS UNITS OF U.S. ATLANTIC Fleet PLUS Miscellaneous yard AND DISTRICT CRAFT. Receiving Miscellaneous Services FROM The Pier. Ship is in Condition OF Readiness V With MATERIAL Condition Yoke Set.

O.A. Foore
LT USN

04-08 Moored AS Before. 0745 Mustered The CREW AT QUARTERS ABSENTees: None.

O.A. Foore
LT USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: O.A. Foore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 1 (Date) AUGUST (Month) 62

0800-1200. MOORED AS BEFORE. 0910 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R R Miller ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller ENS. USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 2 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	29.98	90	77	—	—	—	—	—	—
02	—	—	10	CLR	29.98	80	77	—	—	—	—	—	—
03	320	2	10	CLR	29.98	80	77	—	—	—	—	—	—
04	320	2	10	CLR	29.99	80	77	—	—	—	—	—	—
05	320	5	10	CLR	30.00	80	78	—	—	—	—	—	—
06	320	2	10	CLR	30.00	81	79	—	—	—	—	—	—
07	320	3	10	CLR	30.01	81	79	—	—	—	—	—	—
08	320	2	10	CLR	30.04	85	80	—	—	—	—	—	—
09	210	3	8	OVC	30.04	91	81	10	1600	CU/CI	—	—	—
10	210	3	9	BKN	30.04	91	81	8	20000	CI	—	—	—
11	210	3	9	BKN	30.04	92	81	8	20000	CI	—	—	—
12	200	5	9	BKN	30.04	87	80	8	20000	CI	—	—	—
13	200	2	7	R	30.03	88	81	10	1600	CU/ND	—	—	—
14	200	3	8	OVC	30.02	88	81	10	1600	CU	—	—	—
15	205	3	8	OVC	30.01	87	80	10	1600	CU	—	—	—
16	205	3	8	OVC	30.01	87	79	10	1600	CU	—	—	—
17	200	3	8	OVC	30.00	86	79	10	1600	CU	—	—	—
18	200	3	8	SCT	30.00	83	76	5	1600	CU	—	—	—
19	290	2	8	SCT	30.00	82	76	5	1600	CU	—	—	—
20	290	1	8	SCT	30.00	82	76	5	1600	CU	—	—	—
21	290	1	8	SCT	30.00	82	76	5	1600	CU	—	—	—
22	290	1	8	SCT	30.01	81	75	5	1600	CU	—	—	—
23	290	1	8	SCT	30.01	81	75	5	1600	CU	—	—	—
24	—	—	8	CLR	30.02	80	77	~~5~~	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400 —

FUEL CONSUMED 0000-2400 87 —

REMARKS

00-04. MOORED STARBOARD SIDE TO PIER SIERRA, BERTH TWO, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, IN A NEST OF TWO SHIPS, WITH USS SALUTE (MSO-470) OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH ~~MATION~~ MATERIAL CONDITION YOKE SET.

R R Miller ENS. USNR

~~08-12~~. 04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: Ward, T.L. 548-14-31, RM3A, USN; Ezell, KJ 483-66-81 EM2-R USN; Norman, J.W. 549-10-22, EM3 USN: absent without authority from muster.

R R Miller ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Faire, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO-519) THURSDAY 2 ~~SATURDAY 4~~ (Day) (Date) AUGUST (Month) 19 62

0800-1200 Moored as before. 1101 Made daily inspection of magazines and smokeless powder samples. Conditions Normal.

A.A. Feare
LT USN

1200-1600 Moored as before. 1312

A.A. Feare
LT USN

1600-2000 Moored as before

A.A. Feare
LT USN

2000-2400 Moored as before

A.A. Feare
LT USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Feare, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO-519) ZONE DESCRIPTION 75R DATE Friday (Day) 3 (Date) August (Month), 19 62

AT/~~PASSAGE FROM~~ Chasn Mine Craft Base ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	8	CLR	30.01	80	76	—	—	—	—	—	—
02	—	—	8	CLR	30.00	80	76	—	—	—	—	—	—
03	—	—	8	CLR	29.99	79	76	—	—	—	—	—	—
04	—	—	10	CLR	30.00	78	76	—	—	—	—	—	—
05	—	—	10	CLR	30.00	77	76	—	—	—	—	—	—
06	—	—	10	BKN	30.00	78	76	8	1600	NS	—	—	—
07	140	3	10	BKN	30.00	79	76	7	1600	NS/AC	—	—	—
08	135	5	10	BKN	30.00	80	76	8	4500	AC	—	—	—
09	146	4	10	BKN	30.02	80	76	8	4500	AC	—	—	—
10	145	5	10	BKN	30.02	83	82	8	4500	AC	—	—	—
11	160	7	10	BKN	30.03	91	82	7	1600	CU	—	—	—
12	200	4	10	BKN	29.99	91	80	3	1600	CU	—	—	—
13	200	4	10	BKN	29.99	91	81	4	1600	CU	—	—	—
14	200	5	9	BKN	29.95	89	79	6	1600	CU	—	—	—
15	200	6	8	BKN	29.90	87	78	7	1600	CU	—	—	—
16	200	6	7	R	29.92	84	78	10	1600	CU	—	—	—
17	200	7	7	R	29.93	81	78	10	1600	CU	—	—	—
18	200	7	8	BVC	29.93	81	78	10	1600	CU	—	—	—
19	200	5	8	R	29.92	81	79	10	1600	CU	—	—	—
20	335	3	6	R	29.94	80	77	10	1600	NS	—	—	—
21	335	5	6	R	29.96	77	76	10	1600	NS	—	—	—
22	335	6	3	R	29.98	75	73	10	1600	NS	—	—	—
23	335	5	10	R	30.00	73	70	10	1600	NS	—	—	—
24	240	6	9	R	29.99	76	74	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

—

FUEL CONSUMED 0000–2400

—

REMARKS

0⁰-04 moored Starboard side To pier Sierra, Berth Two, U.S. Naval Station, Charleston, South Carolina, in a nest of two ships, with USS Salute (MSO-470) outboard To port.
SOPA is Comindlant at U.S. Naval Station. Ships present include various units of U.S. Atlantic Fleet plus miscellaneous Yard and district craft. Receiving ~~various~~ miscellaneous ~~services~~ services from the pier. Ship is in condition of readiness V with material condition yoke set.

A.A. Icare
LT USN

04-08 Moored as before. 0715 Mustered the crew at quarters.
Absentees: Jacko, JA., 539-67-45 FN USN.; Valenti, T.J. 540-90-69 SK3 USN.

A.A. Icare
LT USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Icare, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO-519) RADM ~~SUNDAY~~ FRIDAY (Day) ~~5~~ 3 (Date) August (Month) 1962

0800-1200 moored as before 0815 Valenti, T.J. 540-90-69 SK3 USN returned on board, having been AWOL since 0745 this date. 0905 Jacko, J.A., 539-67-45, FN, USNR returned on board, having been AWOL since 0745 this date. 0918 made daily inspection of magazines and smokeless powder samples. Conditions Normal.

J.H. Craig
Ensign USNR

1200-1600 moored as before

J.H. Craig
Ensign USNR

1600-2000 moored as before

J.H. Craig
Ensign USNR

2000-2400 moored as before

J.H. Craig
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO519) ZONE DESCRIPTION +5 R DATE SATURDAY (Day) 4 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE~~ FROM CHASN MINE CRAFT BASE TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	245	4	10	BKN	29.97	76	74	8	1600	CU	—	—	—
02	245	4	10	BKN	29.95	75	73	7	1600	CU	—	—	—
03	245	3	10	BKN	29.93	75	73	7	1600	CU	—	—	—
04	325	3	9	BKN	29.93	76	72	8	1600	NS/AC	—	—	—
05	055	3	8	OVC	29.93	74	72	10	4500	ST/NS	—	—	—
06	—	—	7	BKN	29.94	74	72	9	1600	NS/CU	—	—	—
07	300	5	8	BKN	29.95	76	74	9	1600	CU	—	—	—
08	350	2	9	BKN	29.96	82	76	7	1600	CU	—	—	—
09	350	4	9	BKN	29.96	85	78	6	1600	CU	—	—	—
10	350	6	10	BKN	29.96	87	80	8	1600	CU	—	—	—
11	350	7	9	BKN	29.96	88	81	9	1600	NS/CU	—	—	—
12	350	7	10	BKN	29.96	89	82	9	1600	CU	—	—	—
13	350	6	10	BKN	29.96	92	82	9	1600	CU	—	—	—
14	310	5	10	BKN	29.96	92	82	9	1600	CU	—	—	—
15	310	5	10	BKN	29.96	92	82	9	1600	CU	—	—	—
16	—	—	10	BKN	29.97	92	83	9	1600	CU	—	—	—
17	180	4	10	BKN	29.91	86	80	7	1600	CU	—	—	—
18	185	4	10	BKN	29.91	87	80	7	1600	CU	—	—	—
19	175	6	10	BKN	29.94	86	81	7	1600	CU	—	—	—
20	175	5	10	BKN	29.94	86	81	6	1600	CU	—	—	—
21	175	2	10	SCT	29.94	85	80	5	1600	CU	—	—	—
22	170	3	10	CLR	29.93	84	80	—	—	—	—	—	—
23	170	5	10	CLR	29.93	82	78	—	—	—	—	—	—
24	170	3	9	CLR	29.93	80	78	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

—

FUEL CONSUMED 0000–2400

—

REMARKS

00-04 moored Starboard side To pier Sierra, Berth Two, U.S. Naval Station, Charleston, South Carolina, in a nest of Two ships, with USS Salute (MSO-470) outboard To port. SOPA is COMINLANT at US. Naval Station. Ships present include various units of U.S. Atlantic Fleet, plus miscellaneous yard and district craft. Receiving miscellaneous services from the pier. Ship is in condition of readiness V with material Condition Yoke set

J.H. Kemp
Ensign USNR

04-08 moored as before 0745 mustered The crew on station. Absentees: none

J.H. Kemp
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.O. Faire, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO-519) Saturday (Day) 4 (Date) Aug. (Month) 10 62

0800-1200 moored as before 1012 made daily inspection of magazines and smokeless powder samples. Conditions Normal.

J. H. Kuig
Ensign USNR

1200-1600 moored as before

J. H. Kuig
Ensign USNR

1600-2000 moored as before

J. H. Kuig
Ensign USNR

2000-2400 moored as before

J. H. Kuig
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO-519) ZONE DESCRIPTION +5R DATE Sunday (Day) 5 (Date) August (Month), 19 62

AT/~~PASSAGE FROM~~ Chasn Mine Craft Base ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	170	2	9	CLR	29.94	78	76	—	—	—	—	—	—
02	170	2	9	CLR	29.95	77	75	—	—	—	—	—	—
03	170	2	9	CLR	29.94	76	74	—	—	—	—	—	—
04	190	5	10	CLR	29.95	76	74	—	—	—	—	—	—
05	210	5	10	CLR	29.96	76	74	—	—	—	—	—	—
06	250	5	10	CLR	29.96	76	74	—	—	—	—	—	—
07	310	6	10	CLR	29.99	86	78	1	1600	CU	—	—	—
08	330	6	10	SCT	30.00	89	82	1	1600	CU	—	—	—
09	350	7	10	SCT	30.01	89	82	1	1600	CU	—	—	—
10	345	6	10	BKN	30.03	89	80	7	1600	CU	—	—	—
11	350	6	10	BKN	30.03	90	82	7	1600	CU	—	—	—
12	350	4	10	BKN	30.03	91	83	8	1600	CU	—	—	—
13	350	4	10	BKN	30.04	93	85	8	1600	CU	—	—	—
14	350	4	10	BKN	30.03	93	86	9	1600	NS	—	—	—
15	350	4	10	BKN	30.05	92	84	9	1600	CU/NS	—	—	—
16	170	4	10	BKN	30.07	87	80	7	1600	CU/NS	—	—	—
17	170	4	10	BKN	30.07	86	79	7	1600	CU	—	—	—
18	170	4	10	BKN	30.07	85	78	6	1600	CU	—	—	—
19	180	4	10	BKN	30.04	83	77	6	1600	CU	—	—	—
20	180	4	10	BKN	30.02	81	71	6	1600	CU	—	—	—
21	200	4	10	BKN	30.03	80	70	6	1600	CU	—	—	—
22	200	4	10	BKN	30.04	80	70	6	1600	CU	—	—	—
23	230	4	10	BKN	30.04	78	68	6	1600	CU	—	—	—
24	230	4	10	BKN	30.04	78	68	6	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400 —

FUEL CONSUMED 0000-2400 87 —

REMARKS

0000-0400 MOORED STARBOARD SIDE PIER SIERRA BERTH TWO, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA IN A NEST OF THREE SHIPS WITH U.S.S. SALUTE (MSO-474) AND U.S.S. NOTABLE (MSO-466) MOORED OUTBOARD TO PORT. SOPA IS COMINCLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J.H. King
Ensign USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J.H. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Scorie, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 5 (Date) AUGUST (Month) 1962

0800-1200 MOORED AS BEFORE. 1032 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J.H. King
Ensign USNR

1200-1600 MOORED AS BEFORE.

J.H. King
Ensign USNR

1600-2000 MOORED AS BEFORE.

J.H. King
Ensign USNR

2000-2400 MOORED AS BEFORE.

J.H. King
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO-519) ZONE DESCRIPTION +5R DATE Monday (Day) 6 (Date) August (Month), 19 62

AT/~~PASSAGE FROM~~ Chasn Mine Craft Base ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	230	4	8	CLR	30.02	81	79	—	—	—	—	—	—
02	230	3	8	CLR	30.00	80	78	—	—	—	—	—	—
03	230	3	8	CLR	30.00	80	78	—	—	—	—	—	—
04	230	3	8	CLR	30.00	80	78	—	—	—	—	—	—
05	230	3	8	BKN	30.02	80	78	8	1600	CU	—	—	—
06	230	3	8	BKN	30.01	80	78	8	1600	CU	—	—	—
07	230	3	8	BKN	30.00	82	80	8	1600	CU	—	—	—
08	230	5	9	SCT	30.04	95	90	6	1600	CU	—	—	—
09	330	3	9	SCT	30.06	97	92	6	1600	CU	—	—	—
10	—	—	10	SCT	30.06	97	93	7	1600	CU	—	—	—
11	—	—	10	SCT	30.06	97	93	7	1600	CU	—	—	—
12	180	3	10	BKN	30.05	92	86	7	1600	CU	—	—	—
13	180	8	9	BKN	30.05	89	83	6	1600	CU	—	—	—
14	180	8	9	BKN	30.00	89	80	7	1600	CU	—	—	—
15	165	10	9	SCT	29.96	88	80	4	1600	CU	—	—	—
16	160	8	10	SCT	30.00	86	78	4	1600	NS	—	—	—
17	160	10	10	SCT	30.00	87	78	4	1600	NS	—	—	—
18	165	12	5	BKN	30.00	86	77	9	1600	NS	—	—	—
19	0	0	10	BKN	30.00	85	77	9	1600	NS	—	—	—
20	0	0	8	R	30.00	85	77	10	1600	NS	—	—	—
21	0	0	7	SCT	29.99	84	71	3	1600	NS	—	—	—
22	0	0	7	SCT	29.98	82	70	3	1600	NS	—	—	—
23	0	0	7	SCT	29.97	78	74	3	1600	NS	—	—	—
24	0	0	8	CLR	29.97	77	74	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

04-04 MOORED STARBOARD SIDE TO PIER SIERRA BERTH TWO, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, IN A NEST OF THREE SHIPS WITH U.S.S. SALUTE (MSO-478) AND U.S.S. NOTABLE (MSO-466) MOORED OUTBOARD TO PORT. SOPA IS COMINCANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

J.H. Craig
Ensign USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J.H. Craig
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Foard, JT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 6 (Date) AUGUST (Month), 19 62

0800 MOORED AS BEFORE. 0815 MAKING PREPARATIONS FOR GETTING UNDERWAY. 0842 CASUALTY TO STARBOARD MAIN ENGINE. SECURED SEA DETAIL. SET NORMAL INPORT WATCH. 0855 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

W. B. Duvall
ENS USNR

1200-1600 MOORED AS BEFORE.

W. B. Duvall
ENS USNR

1600-2000 MOORED AS BEFORE

W. B. Duvall
ENS USNR.

2000-2400 MOORED AS BEFORE

W. B. Duvall
ENS. USNR.

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: R. A. Frorè, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE TUESDAY (Day) 7 (Date) AUGUST (Month), 19 62

AT/PASSAGE FROM US NAVAL BASE CHARLESTON SC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	9	CLR	29.95	76	74	—	—	—	—	—	—
02	—	—	9	CLR	29.94	76	73	—	—	—	—	—	—
03	265	5	8	CLR	29.92	74	72	—	—	—	—	—	—
04	005	7	10	CLR	29.92	74	72	—	—	—	—	—	—
05	020	5	10	CLR	29.92	75	73	—	—	—	—	—	—
06	265	3	10	BKN	29.94	76	74	5	1600	CU	—	—	—
07	—	—	10	BKN	29.91	85	79	6	1600	CU	—	—	—
08	—	—	10	SCT	29.92	86	76	7	1600	CU	—	—	—
09	260	3	10	SCT	29.92	88	78	8	1600	CU	—	—	—
10	260	3	10	SCT	29.92	90	80	8	1600	CU	—	—	—
11	300	7	10	BKN	29.92	92	82	9	1600	CU	—	—	—
12	280	6	9	BKN	29.89	90	79	8	4500	CI/NS	—	—	—
13	280	1	9	BKN	29.86	89	79	8	4500	CI/NS	—	—	—
14	260	3	9	BKN	29.86	89	79	7	4500	AC	—	—	—
15	240	4	9	SCT	29.85	89	80	5	4500	AC	—	—	—
16	240	4	9	SCT	29.85	90	80	5	4500	AC/CU	—	—	—
17	240	5	9	SCT	29.85	85	90	5	4500	AC/CU	—	—	—
18	240	10	4	OVC	29.84	82	80	10	1600	NS	—	—	—
19	240	8	5	OVC	29.84	81	80	10	1600	NS	—	—	—
20	240	10	8	OVC	29.86	80	79	10	1600	NS	—	—	—
21	240	8	8	SCT	29.94	80	78	5	1600	CU	—	—	—
22	240	8	8	SCT	29.82	80	78	5	1600	CU	—	—	—
23	240	8	8	SCT	29.82	79	74	5	1600	CU	—	—	—
24	140	2	4	OVC	29.81	76	73	10	20000	ST/CI	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0000-0400 MOORED STARBOARD SIDE TO PIER "S" BERTH 2, US NAVAL BASE, CHARLESTON SC, IN A NEST OF THREE SHIPS WITH USS SALUTE (MSO-482) AND USS MOTIVE (MSO-464) OUTBOARD TO PORT. SOPA IS COMPLIANT AT US NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH NATURAL CONDITION VOICE SET.

W. A. Greene
ENS USNR.

0400-0800 MOORED AS BEFORE. MUSTERED CREW AT QUARTERS ABSENTEES: NONE.

W. A. Greene
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Foreit LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 7 (Date) AUGUST (Month) 19 62

0800 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J H King
Ensign USNR

1200 MOORED AS BEFORE.

J H King
Ensign USNR

1600 MOORED AS BEFORE. 1845 SOUNDED RESCUE AND ASSISTANCE DRILL. 1900 SECURED RESCUE AND ASSISTANCE DRILL.

J H King
Ensign USNR

2000 MOORED AS BEFORE.

J H King
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fiore, Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 8 (Date) AUGUST (Month), 19 62

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	140	3	4	OVC	29.80	76	73	10	1600	ST/CU	—	—	—
02	140	3	4	OVC	29.80	76	73	10	1600	ST/CU	—	—	—
03	140	2	4	R	29.79	76	73	10	1600	ST/CU	—	—	—
04	206	2	10	BKN	29.79	76	73	9	4500	AC/CU	—	—	—
05	260	2	10	BKN	29.78	76	73	8	4500	AC/CU	—	—	—
06	250	3	9	BKN	29.78	76	78	8	4500	AC/CU	—	—	—
07	260	1	10	BKN	29.79	78	75	7	4500	AC/CU	—	—	—
08	145	2	10	BKN	29.79	84	77	6	1600	AC/CU	—	—	—
09	135	2	10	SCT	29.78	86	77	5	1600	AC/CU	—	—	—
10	165	8	10	BKN	29.79	88	80	7	4500	AC	—	—	—
11	165	8	10	BKN	29.79	88	80	7	4500	AC	83	160	.5
12	170	3	10	BKN	29.78	89	80	8	4500	AC	83	160	.5
13	160	3	9	BKN	29.76	90	80	8	4500	AC	83	165	.5
14	—	—	8	OVC	29.77	87	79	10	4600	AC	83	185	.5
15	—	—	8	BKN	29.77	87	79	9	4500	AC	83	—	—
16	200	3	8	BKN	29.76	87	79	8	4500	AC	—	—	—
17	200	3	7	BKN	29.75	86	78	7	4500	AC	—	—	—
18	200	4	7	BKN	29.75	86	78	6	4600	AC	—	—	—
19	250	4	9	BKN	29.76	84	80	8	4500	AC/CU	—	—	—
20	185	3	8	OVC	29.77	83	80	10	1600	NS	—	—	—
21	190	3	8	OVC	29.77	82	79	10	1600	NS	—	—	—
22	180	3	8	OVC	29.78	82	77	10	1600	NS	—	—	—
23	180	5	8	BKN	29.78	81	77	7	1600	CU/NS	—	—	—
24	180	5	9	BKN	29.78	80	78	7	1600	CU/NS	—	—	—

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 048.38

FUEL CONSUMED 0000–2400: 53Φ

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO PIER SIERRA BERTH TWO U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA IN A NEST OF THREE SHIPS WITH U.S.S. SAULTE (MSO-470) AND U.S.S. NOTABLE (MSO-460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

J.H. King
Ensign USNR

Φ4-Φ8 MOORED AS BEFORE. Φ722 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. Φ731 SECURED NORMAL IN-PORT WATCH. SET SPECIAL SEA DETAIL. MADE ALL PREPARATIONS FOR GETTING UNDERWAY. Φ735 DRAFT FORWARD 10'9", AFT 11'4", MEAN 11'. TONNAGE 975. Φ745 CAPTAIN AND NAVIGATOR ON BRIDGE. Φ75Φ MINESWEEP OFFICERS FROM MINE WARFARE SCHOOL EMBARKED. J.H. King, Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: D.A. Fiore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 8 (Date) AUGUST (Month), 19 62

0800-1200. MOORED AS BEFORE. 0804 PILOT C.M. SWAN CAME ABOARD. 0807 ~~NEST OF~~ UNDERWAY FROM PIER SIERRA BERTH ~~3~~ 2 IN A NEST OF THREE SHIPS. 0808 CAST OFF FROM STARBOARD SIDE OF USS SALUTE. NAVY TUG NO. 32 CAME ALONGSIDE TO PORT. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CLEAR THE PIER AND CONFORM TO THE CHANNEL STANDING OUT OF CHARLESTON. PILOT HAS THE CONN. CAPTAIN AND NAVIGATOR ON THE BRIDGE. PROCEEDING TO CHARLESTON OP AREA SEVEN ALPHA IN ACCORDANCE WITH COMINRON EIGHT WEEKLY OP-SCHEDULE. OTC IS COMINDIV 85 IN THIS SHIP. 0814 PILOT DISEMBARKS. TUG CASTS OFF. CAPTAIN HAS THE CONN. 0838 PASSED BENEATH GRACE MEMORIAL BRIDGE. 0923 ENTERED BREAKWATER JETTY. 0933 PASSED OUT OF BREAKWATER JETTY. 0945 SECURED SEADETAIL, SET REGULAR UNDERWAY WATCH. OOD HAS THE CONN. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. PASSED BUOY 2C ABEAM TO STARBOARD. SET COURSE 130°, SPEED 12 KTS. 1015 C/C TO 200°. 1038. SET CONDITION ONE MIKE. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONDUCT MINESWEEP EXERCISE. 1108 LAUNCHED F.A. SWEEP.

R R Miller ENS. USNR

1200-1600. STEAMING AS BEFORE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONDUCT MINESWEEP EXERCISE. 1208 RECOVERED ALL MINESWEEP GEAR. SET COURSE 000°, SPEED 6 KTS. 1230. ~~C/C~~ TO 007°. C/S TO 7 KTS. 1313 C/C TO 350°. 1319 ~~B~~ PASSED BUOY 2C ABEAM TO STARBOARD. ENTERED INLAND WATERS. COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO THE CHANNEL STANDING INTO CHARLESTON HARBOR. 1355 SET SPECIAL SEA DETAIL. ENTERED BREAKWATER JETTY. 1440 PASSED BENEATH GRACE MEMORIAL BRIDGE. 1505 MANEUVERING TO MOOR. 1515 MOORED STARBOARD SIDE TO PIER SIERRA BERTH FOUR IN A NEST OF THREE SHIPS WITH USS ADROIT (MSO-509) AND USS STURDY (MSO-494) INBOARD TO STARBOARD. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. 1531 SECURED SEA DETAIL. SET REGULAR INPORT WATCH. COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

E R Reid ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller ENS USNR

2000-2400. MOORED AS BEFORE.

R R Miller ENS. USNR

APPROVED: T Kerrigan U.S.N. COMMANDING

EXAMINED: A Zaiglt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 9 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ U.S. NAVAL STATION, CHARLESTON, ~~TO~~ S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	250	4	9	SCT	29.78	80	76	5	1600	CU	—	—	—
02	270	3	10	CLR	29.77	79	75	—	—	—	—	—	—
03	300	4	10	CLR	29.76	79	73	—	—	—	—	—	—
04	320	4	10	CLR	29.75	79	73	—	—	—	—	—	—
05	330	4	10	CLR	29.76	76	75	—	—	—	—	—	—
06	330	3	10	CLR	29.76	77	74	—	—	—	—	—	—
07	340	4	10	CLR	29.77	79	75	—	—	—	—	—	—
08	—	—	9	BKN	29.78	82	75	8	4500	AC/NS	—	—	—
09	105	10	9	BKN	29.78	85	78	6	4500	AC	—	—	—
10	174	6	10	SCT	29.79	85	76	4	20000	CI	—	—	—
11	—	—	10	SCT	29.79	91	79	4	4500	AC	83	—	—
12	—	—	10	CLR	29.78	95	82	—	—	—	83	—	—
13	—	—	10	CLR	29.76	92	78	—	—	—	84	—	—
14	—	—	10	CLR	29.74	92	80	—	—	—	84	—	—
15	—	—	10	SCT	29.73	95	83	2	1600	CU	84	—	—
16	225	7	10	SCT	29.73	95	83	5	4500	AC/CU	84	—	—
17	225	7	10	SCT	29.73	90	80	5	4500	AC/CU	—	—	—
18	225	15	10	OVC	29.73	78	79	10	1600	NS	—	—	—
19	245	5	10	OVC	29.72	78	79	10	1600	NS	—	—	—
20	160	9	8	T	29.79	72	71	10	1600	NS	—	—	—
21	250	3	9	OVC	29.79	74	73	10	1600	NS	—	—	—
22	—	—	9	BKN	29.80	73	72	6	1600	NS/CU	—	—	—
23	—	—	9	SCT	29.80	73	71	4	1600	NS/CU	—	—	—
24	080	3	10	CLR	29.81	73	71	0	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 55.05

FUEL CONSUMED 0000-2400: 400

REMARKS

00-04. MOORED IN A NEST OF THREE SHIPS AT PIER SIERRA BERTH FOUR, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH USS ADROIT (MSO-509) AND USS STURDY (MSO-494) INBOARD TO ~~PORT~~ STARBOARD, USING STANDARD MOORING LINES DOUBLED AND A WIRE PREVENTER OUT FORWARD TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

R R Miller ENS. USNR

04-08. MOORED AS BEFORE. 0710 C.A. ~~HERBERT~~ HERBERT, CDR USN, 481390, Rem COMINDIV 85, HAULED DOWN HIS PENNANT AND DEPARTED ON FOUR DAYS LEAVE. COMMANDING OFFICER, USS SALUTE (MSO-470) IS ACTING COMINDIV 85. 0720 MUSTERED THE CREW ~~ON~~ AT QUARTERS: ABSENTEES Rem NONE. 0730 STATIONED THE SPECIAL SEA DETAIL.

R R Miller ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C.A. Ferro, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 9 (Date) AUGUST (Month) 19 62

0800-1200 MOORED AS BEFORE. 0801 UNDERWAY IN ACCORDANCE WITH COMINDIV 85 VERBAL ORDERS. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0803 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF THE CHANNEL. 0829 PASSED BENEATH GRACE MEMORIAL BRIDGE. 0937 SECURED SEA DETAIL SET NORMAL UNDERWAY WATCH. 0949 ENTERED INTERNATIONAL WATERS. 1021 COMMENCED STREAMING MINESWEEP GEAR. 1029 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1129 GEAR STOPPED OFF ON DECK. ~~1130~~ MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS CONDUCTING MINESWEEPING EXERCISE

A.A. Ecard
LT. USN

1200-1600 STEAMING AS BEFORE. 1205 COMMENCED RECOVERY OF GEAR. 1308 ALL GEAR SECURED ON DECK. 1310 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS RETURNING TO CHARLESTON. 1408 ENTERED INLAND WATERS ↑ 1430 SET SEA DETAIL. SECURED NORMAL UNDERWAY WATCH. ~~1408 ENTERED INLAND WATERS~~. 1441 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING IN THE CHANNEL, CHARLESTON SC. 1522 PASSED BENEATH GRACE MEMORIAL BRIDGE. 1554 MOORED STARBOARD SIDE TO USS ADROIT (MSO-509). PIER "S" BERTH 2. 1557 SECURED SEA DETAIL SET NORMAL INPORT WATCH.

A.A. Ecard
LT. USN

1600-2400 MOORED AS BEFORE.

A.A. Ecard
LT. USN

2400-2400 MOORED AS BEFORE.

A.A. Ecard
LT. USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Ecard, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 10 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ CHASN MINE CRAFT BASE ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	—	—	9	CLR	29.80	73	71	—	—	—	—	—	—
02	360	3	9	SCT	29.80	73	71	4	1600	CU	—	—	—
03	180	3	10	CLR	29.91	72	70	—	—	—	—	—	—
04	190	3	10	CLR	29.92	72	70	—	—	—	—	—	—
05	190	2	10	CLR	29.82	72	70	—	—	—	—	—	—
06	190	2	10	CLR	29.82	73	71	—	—	—	—	—	—
07	190	2	10	CLR	29.82	73	71	—	—	—	—	—	—
08	170	2	10	CLR	29.88	81	80	—	—	—	—	—	—
09	170	2	10	CLR	299	87	84	—	—	—	—	—	—
10	160	3	10	SCT	299	92	87	2	1600	NS	—	—	—
11	160	3	10	SCT	299	94	84	3	1600	NS	—	—	—
12	160	3	10	BKN	299	94	87	7	1600	NS	—	—	—
13	160	5	10	OVC	299	93	85	10	1600	NS	—	—	—
14	150	5	1	R	2991	94	85	10	1600	NS	—	—	—
15	160	8	1	R	2990	87	80	10	1600	NS	—	—	—
16	150	2	1	R	2990	80	78	10	1600	NS	—	—	—
17	—	—	2	R	29.91	78	76	10	1600	NS	—	—	—
18	—	—	1	R	29.91	75	74	10	1600	NS	—	—	—
19	—	—	1	R	29.94	74	73	10	1600	NS	—	—	—
20	250	3	2	R	29.94	75	73	10	1600	NS	—	—	—
21	200	4	1	R	29.95	73	73	10	1600	NS	—	—	—
22	210	7	1	R	29.96	75	73	10	1600	NS	—	—	—
23	210	7	2	R	29.96	76	73	10	1600	NS	—	—	—
24	205	7	2	R	29.96	74	71	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400 —

FUEL CONSUMED 0000-2400 ~~534~~ — JMW

REMARKS

04-04 MOORED PIER "S" BERTH 4, US NAVAL BASE CHARLESTON, SC IN A NEST OF THREE SHIPS WITH USS ABZOIT (MSO-299) AND USS STURDY (MSO-494) INBOARD TO STARBOARD USING STANDARD MOORING LINES DOUBLED AND A WIRE PREVENTER OUT FORWARD. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMINLANT AT U.S. NAVAL STATION CHARLESTON, S.C. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

A.A. Fiore
LT. USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

A.A. Fiore
LT. USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fiore U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 10 (Date) AUGUST (Month) 19 62

0800-1200 MOORED AS BEFORE. 0810 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 1030 MADE WEEKLY TEST OF MAGAZINE FLOODING AND SPRINKLING SYSTEM; CONDITIONS SATISFACTORY.

J.H. Craig
Ensign USNR

1200-1600 MOORED AS BEFORE.

J.H. Craig
Ensign USNR

1600-2000 MOORED AS BEFORE.

J.H. Craig
Ensign USNR

2000-2400 MOORED AS BEFORE.

J.H. Craig
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 11 (Date) AUGUST (Month) 19 62

AT/~~PASSAGE~~ FROM CHASIN MINE CRAFT BASE ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	205	4	7	OVC	29.96	72	69	10	1600	NS	—	—	—
02	205	4	7	OVC	29.96	72	69	10	1600	NS	—	—	—
03	200	4	7	OVC	29.96	72	69	10	1600	NS	—	—	—
04	200	4	7	OVC	29.96	72	69	10	1600	NS	—	—	—
05	200	4	7	OVC	29.95	70	68	10	1600	NS	—	—	—
06	200	4	7	OVC	29.96	71	66	10	1600	NS	—	—	—
07	200	4	7	CLR	29.94	74	70	—	—	—	—	—	—
08	190	6	10	CLR	29.97	75	71	—	—	—	—	—	—
09	330	7	10	CLR	30.00	85	76	—	—	—	—	—	—
10	330	6	10	SCT	30.02	87	72	3	1600	CU	—	—	—
11	030	6	10	BKN	30.03	90	77	7	1600	CU	—	—	—
12	030	6	10	BKN	30.02	92	77	7	1600	CU	—	—	—
13	050	5	10	BKN	30.00	94	77	7	1600	AC/CU	—	—	—
14	100	5	10	SCT	29.97	96	77	4	1600	AC/CU	—	—	—
15	150	4	10	SCT	29.95	98	78	4	1600	AC/CU	—	—	—
16	200	3	10	SCT	29.93	80	78	5	1600	AC/CU	—	—	—
17	160	2	10	SCT	29.93	78	76	4	4500	AC	—	—	—
18	120	2	10	SCT	29.91	76	74	3	4500	AC	—	—	—
19	070	2	10	SCT	29.94	75	73	3	4500	AC	—	—	—
20	070	3	10	SCT	29.92	74	72	2	4500	AC	—	—	—
21	070	3	10	SCT	29.93	74	72	2	4500	AC	—	—	—
22	070	2	10	CLR	29.93	73	71	—	—	—	—	—	—
23	070	1	10	CLR	29.92	73	71	—	—	—	—	—	—
24	070	2	10	CLR	29.92	73	71	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400 —

FUEL CONSUMED 0000-2400 —

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO PIER SIERRA BERTH 4 CHARLIE IN A NEST OF THREE SHIPS AT U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH U.S.S. ADROIT (MSO-509) AND U.S.S. STURDY (MSO-494) INBOARD TO STARBOARD. SOPA IS COMINCLANTFLT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J.H. King
Ensign USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED THE CREW ON STATION: ABSENTEES NONE.

J.H. King
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: O.O. Faire, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 11 (Date) AUGOST (Month) 19 62

0800-1200. MOORED AS BEFORE. 1012 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J R Miller ENS. USNR

1200-1600. MOORED AS BEFORE.

J R Miller ENS. USNR

1600-2000. MOORED AS BEFORE.

J R Miller ENS. USNR

2000-2400. MOORED AS BEFORE.

J R Miller ENS. USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 12 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE~~ FROM U.S. NAVAL STATION, CHARLESTON, S.C. TO ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	4	10	CLR	29.96	68	66	—	—	—	—	—	—
02	200	5	10	CLR	29.97	68	66	—	—	—	—	—	—
03	200	6	10	CLR	29.97	68	66	—	—	—	—	—	—
04	120	6	10	CLR	29.99	70	67	—	—	—	—	—	—
05	130	6	10	CLR	30.00	69	66	—	—	—	—	—	—
06	130	4	10	CLR	30.01	68	65	—	—	—	—	—	—
07	130	4	10	CLR	30.00	69	66	—	—	—	—	—	—
08	010	4	10	CLR	30.02	70	67	—	—	—	—	—	—
09	350	4	10	CLR	30.01	70	68	—	—	—	—	—	—
10	360	4	10	CLR	29.96	89	83	—	—	—	—	—	—
11	350	4	10	CLR	29.90	85	76	—	—	—	—	—	—
12	350	6	10	SCT	29.94	90	88	5	1600	CU	—	—	—
13	350	6	10	SCT	29.98	90	88	5	1600	CU	—	—	—
14	350	5	10	SCT	29.96	90	88	5	1600	CU	—	—	—
15	350	5	10	SCT	29.98	88	86	5	1600	CU	—	—	—
16	350	3	10	SCT	29.96	86	83	5	1600	CU	—	—	—
17	000	4	10	SCT	29.94	80	72	5	1600	CU	—	—	—
18	020	4	10	SCT	29.95	79	71	6	1600	CU	—	—	—
19	010	5	10	SCT	29.95	78	71	6	1600	CU	—	—	—
20	010	4	10	CLR	29.94	77	71	—	—	—	—	—	—
21	015	3	10	CLR	29.95	76	71	—	—	—	—	—	—
22	015	2	10	CLR	29.96	75	71	—	—	—	—	—	—
23	015	1	10	CLR	29.97	76	70	—	—	—	—	—	—
24	010	1	10	CLR	29.97	75	70	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: —

FUEL CONSUMED 0000-2400: —965

REMARKS

00-04. MOORED IN A NEST OF THREE SHIPS WITH USS ADROIT (MSO-509) AND USS STURDY (MSO-494) INBOARD TO STARBOARD IN BERTH SIERRA FOUR ~~ALP~~ AT U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, USING STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP is IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

R R Miller ENS. USNR

04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

R R Miller ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: D. O. Scare, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 12 (Date) AUGUST (Month) 19 62

0800-1200. MOORED AS BEFORE. 1105 MADE DAILY INSPECTION OF MAGAZINES AND SMORELESS POWDER SAMPLES. CONDITIONS NORMAL.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller
ENS-USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS-USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 13 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE~~ FROM U.S. NAVAL STATION, CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	8	CLR	29.97	73	70	—	—	—	—	—	—
02	—	—	8	CLR	29.97	73	70	—	—	—	—	—	—
03	—	—	8	CLR	29.97	73	70	—	—	—	—	—	—
04	—	—	10	CLR	29.97	72	69	—	—	—	—	—	—
05	—	—	10	BKN	29.96	76	70	6	4500	AC	—	—	—
06	330	3	10	CLR	29.96	78	68	—	—	—	—	—	—
07	330	1	10	CLR	29.98	80	70	—	—	—	—	—	—
08	330	1	10	CLR	29.98	81	71	—	—	—	—	—	—
09	330	1	10	CLR	29.98	83	83	—	—	—	—	—	—
10	330	1	10	CLR	30.00	87	75	—	—	—	—	—	—
11	330	1	10	CLR	30.01	89	75	—	—	—	—	—	—
12	240	1	10	CLR	29.98	91	75	—	—	—	—	—	—
13	250	1	10	CLR	29.98	92	75	—	—	—	—	—	—
14	250	1	10	CLR	29.98	87	72	—	—	—	—	—	—
15	250	4	10	CLR	29.99	81	72	—	—	—	—	—	—
16	240	3	10	CLR	29.99	80	72	—	—	—	—	—	—
17	240	3	10	CLR	29.99	80	72	—	—	—	—	—	—
18	240	3	10	CLR	30.00	80	72	—	—	—	—	—	—
19	235	4	10	CLR	30.03	79	72	—	—	—	—	—	—
20	225	5	10	CLR	30.03	77	72	—	—	—	—	—	—
21	225	7	10	CLR	30.01	77	72	—	—	—	—	—	—
22	235	8	10	CLR	30.00	76	72	—	—	—	—	—	—
23	220	5	10	CLR	30.00	76	72	—	—	—	—	—	—
24	220	4	10	CLR	29.98	76	72	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED IN A NEST OF THREE SHIPS WITH USS ADROIT (MSO-509) AND USS STURDY (MSO-494) INBOARD TO STARBOARD AT BERTH SIERRA FOUR, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, USING STANDARD MOORING LINES DOUBLED AND WIRE PREVENTER OUT FORWARD TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R.R. Miller ENS. USNR

04-08. MOORED AS BEFORE. 0730 MUSTERED THE CREW ~~ON STATION~~ AT QUARTERS. ABSENTEES: NONE. 0744 SET THE SPECIAL SEA DETAIL.

R.R. Miller ENS. USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) (Date) 13 AUGUST (Month) 1962

0800-1200 MOORED AS BEFORE. 0816 SECURED SEA DETAIL. SET REGULAR IN-PORT WATCH. 0855 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J.H. Craig
Ensign USNR

1200-1600 MOORED AS BEFORE. 1304 SECURED IN-PORT WATCH. SET SEA DETAIL. CAPTAIN AND NAVIGATOR ON BRIDGE MAKING PREPARATIONS TO MOVE DEAD PLANT TO MOOR PORT SIDE TO U.S.S. ORLEANS PARISH (ARL-6). 1302 TUG ALONGSIDE PORT AND STARBOARD QUARTERS PILOT ABOARD. 1306 UNDERWAY FROM SIDE OF U.S.S. ARDENT. 1313 ALONGSIDE U.S.S. ORLEANS PARISH. 1326 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO WITH U.S.S. ORLEANS PARISH INBOARD TO PORT. 1327 SECURED SEA DETAIL. SET IN-PORT WATCH. COMMENCED RECEIVING SERVICES FROM PIER.

J.H. Craig
Ensign USNR

1600-2000 MOORED AS BEFORE.

J.H. Craig
Ensign USNR

2000-2400 MOORED AS BEFORE.

J.H. Craig
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 14 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	260	3	8	CLR	29.98	74	71	—	—	—	—	—	—
02	260	3	8	CLR	29.98	74	71	—	—	—	—	—	—
03	260	3	8	CLR	29.98	74	71	—	—	—	—	—	—
04	270	5	8	CLR	29.98	74	72	—	—	—	—	—	—
05	270	5	8	CLR	29.98	74	72	—	—	—	—	—	—
06	270	6	10	SCT	29.98	74	72	5	20,000	CI	—	—	—
07	270	6	10	SCT	29.98	76	74	—	—	—	—	—	—
08	260	4	10	CLR	30.03	90	80	—	—	—	—	—	—
09	160	5	10	CLR	30.04	99	81	—	—	—	—	—	—
10	180	2	10	CLR	30.04	99	82	—	—	—	—	—	—
11	—	—	10	BKN	30.05	95	91	7	1600	CU	—	—	—
12	330	3	10	BKN	30.04	97	87	8	4500	AC/CO	—	—	—
13	320	4	9	BKN	30.03	92	85	8	4500	AC/CO	—	—	—
14	270	4	9	BKN	30.00	90	84	8	1600	CU	—	—	—
15	330	4	9	BKN	30.00	80	83	8	1600	CU	—	—	—
16	345	3	10	CLR	29.99	88	82	—	—	—	—	—	—
17	355	4	10	CLR	30.00	88	81	—	—	—	—	—	—
18	235	3	10	CLR	30.00	85	80	—	—	—	—	—	—
19	220	2	10	CLR	30.00	82	78	—	—	—	—	—	—
20	220	2	10	CLR	30.01	82	78	—	—	—	—	—	—
21	220	2	10	CLR	30.02	80	77	—	—	—	—	—	—
22	220	2	10	CLR	30.03	80	77	—	—	—	—	—	—
23	220	2	10	CLR	30.04	80	77	—	—	—	—	—	—
24	225	2	10	CLR	30.04	80	77	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

~~965~~ 0 gmw

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO PIER TANGO BERTH 3 "B" IN A NEST OF TWO SHIPS WITH U.S.S. ORLEANS PARISH (ARL-6) INBOARD TO PORT, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS COMINCANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. SHIP IS IN CONDITION OF READINESS II. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN MATERIAL CONDITION YOKE.

J H King
Ensign USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE. Ø759 COMMINDIV 85 RETURNS FROM LEAVE AND BREAKS BURGEE.

J H King
Ensign USNR

APPROVED: J H Kellenger U.S.N. COMMANDING

EXAMINED: D A Fiore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 14 (Date) AUGUST (Month), 19 62

0800-1200. MOORED AS BEFORE. 0835 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R R Miller ENS. USNR

1200-1600. MOORED AS BEFORE. 1205 COMINLANT DEPARTS FROM CHARLESTON. COMSUBFLOT SIX ASSUMES DUTIES OF SOPA.

R R Miller ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller ENS. USNR

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 15 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.05	80	76	—	—	—	—	—	—
02	—	—	10	CLR	30.05	79	76	—	—	—	—	—	—
03	—	—	10	CLR	30.05	78	74	—	—	—	—	—	—
04	—	—	10	CLR	30.05	77	72	—	—	—	—	—	—
05	—	—	10	SCT	30.04	75	73	5	4500	ST	—	—	—
06	—	—	10	SCT	30.04	76	74	5	4500	ST	—	—	—
07	—	—	8	SCT	30.05	81	79	5	1600	CU	—	—	—
08	330	1	10	SCT	30.08	92	82	4	1600	CU	—	—	—
09	340	2	10	SCT	30.09	92	82	4	1600	CU	—	—	—
10	335	1	10	SCT	30.08	99	89	5	1600	CU	—	—	—
11	185	2	10	SCT	30.08	98	89	5	1600	CU	—	—	—
12	185	1	10	SCT	30.08	98	89	5	1600	CU	—	—	—
13	280	4	10	SCT	30.08	98	89	5	1600	CU	—	—	—
14	280	5	10	SCT	30.07	90	80	4	1600	CU	—	—	—
15	280	7	10	SCT	30.06	87	76	4	1600	CU	—	—	—
16	185	12	10	SCT	30.06	86	76	5	1600	CU	—	—	—
17	250	6	9	BKN	30.04	84	76	8	1600	CU	—	—	—
18	275	6	10	BKN	30.04	84	77	8	1600	CU	—	—	—
19	—	—	10	BKN	30.04	84	77	9	4500	AC/NS	—	—	—
20	250	3	8	OVC	30.08	84	77	10	4500	AC	—	—	—
21	250	3	7	OVC	30.09	80	76	10	4500	AC	—	—	—
22	250	2	7	OVC	30.09	78	75	10	4500	AC	—	—	—
23	250	2	8	OVC	30.09	77	75	10	4500	AC	—	—	—
24	—	—	8	SCT	30.09	76	75	3	4500	AC	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED PORT SIDE TO PIER TANGO BERTH THREE IN A NEST OF TWO SHIPS WITH USS ORLEANS PARISH (MCS-6) INBOARD TO PORT, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, USING STANDARD MOORING LINES DOUBLED. SOPA IS COMSUBFLOT SIX AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

R R Miller
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY 15 AUG. 19 62
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

C.A. Foire
LT. USN

1200-1600 MOORED AS BEFORE.

C.A. Foire
LT USN

1600-2000 MOORED AS BEFORE

C.A. Foire
LT. USN

2000-2400 MOORED AS BEFORE

C.A. Foire
LT USN

APPROVED: T. Kinsinger U.S.N. COMMANDING

EXAMINED: C.A. Foire, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 16 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ US NAVAL BASE, CHARLESTON SC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	9	CLR	30.05	77	75	—	—	—	—	—	—
02	—	—	9	CLR	30.04	78	76	—	—	—	—	—	—
03	—	—	9	CLR	30.03	78	76	—	—	—	—	—	—
04	—	—	9	CLR	30.04	77	75	—	—	—	—	—	—
05	—	—	9	SCT	30.05	77	75	3	1600	CU	—	—	—
06	—	—	9	SCT	30.06	77	75	3	1600	CU	—	—	—
07	345	1	8	SCT	30.06	78	76	3	1600	CU	—	—	—
08	345	3	10	SCT	30.07	90	83	5	1600	CU	—	—	—
09	345	5	10	SCT	30.07	91	86	5	1600	CU	—	—	—
10	345	5	10	SCT	30.08	94	87	5	1600	CU	—	—	—
11	345	6	10	SCT	30.08	94	87	5	1600	CU	—	—	—
12	135	4	9	BKN	30.06	91	84	8	4500	AC	—	—	—
13	135	8	9	BKN	30.04	89	81	8	4500	AC	—	—	—
14	135	11	9	BKN	30.02	89	80	8	4500	AC/CU	—	—	—
15	135	15	9	BKN	30.02	87	80	7	4500	AC/CU	—	—	—
16	135	10	9	BKN	30.01	85	80	7	4500	AC/CU	—	—	—
17	135	10	9	BKN	29.99	84	79	7	4500	AC/CU	—	—	—
18	130	8	9	BKN	29.97	80	76	7	4500	AC/CU	—	—	—
19	190	8	9	BKN	29.96	79	74	8	4500	AC/CU	—	—	—
20	190	5	8	SCT	30.00	76	73	5	1600	CU	—	—	—
21	190	6	8	SCT	30.00	74	72	5	1600	CU	—	—	—
22	190	4	8	SCT	30.01	74	72	5	1600	CU	—	—	—
23	190	4	8	SCT	30.01	75	73	3	1600	CU	—	—	—
24	170	3	8	SCT	30.00	76	74	3	1600	CU/ST	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO PIER "J" BERTH THREE IN A NEST OF TWO SHIPS WITH USS ORLEANS PARISH (LMCS-6) INBOARD TO PORT, US NAVAL BASE CHARLESTON SC. WITH STANDARD MOORING LINES DOUBLED. SOPA IS ComSubFlot Six AT US NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS Ships OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DIESEL CRAFT. RECEIVING MISCELLANEOUS STORES FROM PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

A.A. Feare
LT USN

04-08 MOORED AS BEFORE. 0710 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0715 SET SEA DETAIL IN PREPARATION FOR SHIFTING BERTHS. 0800 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0725 RECEIVED DRAFT REPORT PRIOR TO GETTING UNDERWAY. FWD 10'8" AFT 11'2" MEAN 10'11". 0745 CAPTAIN, NAVIGATOR ON THE BRIDGE. PILOT, MR. SWAN CAME ABOARD. TUG TIED UP STARBOARD SIDE. PILOT HAS CONN. 0747.

APPROVED: D.L. Cragg U.S.N. COMMANDING

EXAMINED: A.A. Feare, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 16 (Date) AUG (Month), 19 62

04-08 CONTINUED. ϕ751 ALL LINES CAST OFF FROM ORLEANS PARISH. ϕ759 LYING TO IN FAIRWAY AWAITING DEARTURE OF ORLEANS PARISH.

G. A. Foore
LT USN

ϕ8-12 UNDERWAY AS BEFORE. ϕ8ϕ8 MOOR TO PIER TANG 6 BERTH THREE WITH STANDARD MOORING LINES DOUBLED TO THE PIER.

J. H. King
Ensign USNR

12-16 MOORED AS BEFORE.

J. H. King
Ensign USNR

16-24 MOORED AS BEFORE. 1615 U.S.S. FIDELITY (MSO-443) MOORS TO STARBOARD SIDE.

J. H. King
Ensign USNR

2ϕ-24 MOORED AS BEFORE.

J. H. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

9.9.2.

USS ABILITY MSO 519 ZONE DESCRIPTION +5R DATE ~~THURSDAY~~ FRIDAY, 17 ~~16~~ AUGUST, 19 62
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ U.S. NAVAL BASE, CHARLESTON, SC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	3	8	SCT	29.99	76	74	3	1600	CU/ST	—	—	—
02	210	3	8	SCT	29.99	76	74	3	1600	CU/ST	—	—	—
03	210	2	8	SCT	29.99	76	74	3	1600	CU/ST	—	—	—
04	310	4	10	SCT	29.96	77	74	4	1600	CU	—	—	—
05	310	4	10	SCT	29.96	76	73	3	1600	CU	—	—	—
06	310	4	10	SCT	29.96	75	73	3	1600	CU	—	—	—
07	310	4	10	SCT	29.98	78	74	4	1600	CU	—	—	—
08	070	3	8	SCT	29.99	82	75	5	1600	CU	—	—	—
09	070	5	10	SCT	2999	87	77	5	1600	CU	—	—	—
10	060	5	10	SCT	30.00	90	77	5	1600	CU/NS	—	—	—
11	100	10	7	R	30.00	79	75	10	4500	NS/ST	—	—	—
12	120	10	7	L	30.00	75	70	10	4500	NS/ST	—	—	—
13	—	—	6	L	29.99	74	70	10	4500	NS/ST	—	—	—
14	055	2	5	OVC	29.96	74	72	10	4500	NS/ST	—	—	—
15	020	3	5	OVC	29.95	74	73	10	1600	NS	—	—	—
16	200	4	6	OVC	2993	74	72	10	1600	NS	—	—	—
17	200	5	7	OVC	2993	75	71	10	1600	NS	—	—	—
18	200	4	7	OVC	29.93	76	72	10	1600	NS	—	—	—
19	200	3	7	OVC	29.92	75	71	10	1600	NS	—	—	—
20	190	2	8	OVC	2993	75	72	10	1600	NS	—	—	—
21	185	5	8	OVC	29.94	75	73	10	1600	NS	—	—	—
22	195	6	8	BKN	29.94	75	73	10	4500	AC	—	—	—
23	195	3	8	SCT	29.95	78	73	5	4500	AC	—	—	—
24	190	2	10	SCT	29.96	75	72	3	4500	AC	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

0⁰-0⁴ MOORED PORT SIDE TO PIER TANGO BERTH THREE WITH STANDARD MOORING LINES DOUBLED TO THE PIER IN A NEST OF TWO SHIPS WITH U.S.S. FIDELITY (MSO-443) MOORED OUTBOARD TO STARBOARD AT CHARLESTON, SOUTH CAROLINA. SOPA IS COMSUBRON SIX AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. REFUELING, MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

J. H. King
Ensign USNR

0⁴-0⁸ MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS
MISSINGEES: NONE.

J. H. King
Ensign USNR

APPROVED: J. H. King U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 17 (Date) AUGUST (Month) 1962

0800-1200. MOORED AS BEFORE. 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. MADE WEEKLY INSPECTION OF MAGAZINE SPRINKLING AND FLOODING SYSTEM. CONDITIONS SATISFACTORY.

R R Miller ENS. USNR

1200-1600. MOORED AS BEFORE 1522 SET THE SPECIAL SEA DETAIL. 1530 NAVY TUG ALONGSIDE STARBOARD QUARTER. 1531 PILOT LUPTON CAME ABOARD. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1539 UNDERWAY WITH DEAD PLANT, CHANGING BERTH TO PIER ~~FANG~~ UNIFORM. 1555 MOORED PORT SIDE TO PIER UNIFORM, BERTH ~~FO~~ ONE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA.

R R Miller ENS. USNR

1600-2000. MOORED AS BEFORE. 1603 PILOT DISEMBARKED. TUG CAST OFF FROM THE STARBOARD QUARTER. SECURED SEA DETAIL. SET REGULAR INPORT WATCH.

R R Miller ENS. USNR

2000-2400. MOORED AS BEFORE. 2154 USS PINNACLE (MSO-462) MOORED OUTBOARD TO STARBOARD.

R R Miller ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 18 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	190	2	10	SCT	29.96	74	72	2	4500	AC	—	—	—
02	190	2	10	SCT	29.97	74	72	2	4500	AC	—	—	—
03	190	1	10	CLR	29.97	74	71	—	—	—	—	—	—
04	210	1	10	CLR	29.96	74	72	—	—	—	—	—	—
05	200	1	10	CLR	29.98	74	72	—	—	—	—	—	—
06	200	1	10	CLR	29.98	75	73	—	—	—	—	—	—
07	210	1	10	CLR	30.00	79	75	—	—	—	—	—	—
08	210	1	10	CLR	30.02	84	77	—	—	—	—	—	—
09	—	—	10	SCT	30.02	84	77	5	1600	CU	—	—	—
10	—	—	10	SCT	30.02	84	77	5	1600	CU	—	—	—
11	—	—	10	SCT	30.03	98	85	5	1600	CU	—	—	—
12	145	2	10	SCT	30.03	98	84	5	1600	CU	—	—	—
13	140	2	10	SCT	30.02	97	84	5	1600	CU	—	—	—
14	140	7	10	SCT	30.02	88	80	4	1600	CU	—	—	—
15	155	8	10	SCT	30.00	88	76	5	1600	CU	—	—	—
16	155	8	10	SCT	30.00	88	76	5	1600	CU	—	—	—
17	155	8	10	SCT	30.00	88	76	5	1600	CU	—	—	—
18	155	8	10	SCT	30.01	83	77	5	1600	CU	—	—	—
19	155	8	10	SCT	30.01	83	77	5	1600	CU	—	—	—
20	—	—	10	SCT	30.01	82	77	5	1600	CU	—	—	—
21	—	—	10	SCT	30.01	82	77	5	1600	CU	—	—	—
22	—	—	10	SCT	30.00	81	76	5	1600	CU	—	—	—
23	—	—	10	SCT	30.00	79	76	5	1600	CU	—	—	—
24	—	—	10	SCT	30.04	78	75	2	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04. MOORED IN ANEST OF TWO SHIPS WITH USS PINNACLE (MSO-462) TIED OUTBOARD TO STARBOARD, AT PIER UNIFORM, BERTH ONE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMSUB FLOT SIX AT U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R.R. Miller ENS. USNR

04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

R.R. Miller ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C.A. Fiore, Lt U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 18 (Date) AUGUST (Month), 19 62.

0800-1200 MOORED AS BEFORE. 0814 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

A.A. Fiore
LT. USN

1200-1600 MOORED AS BEFORE.

A.A. Fiore
LT. USN

1600-2000 MOORED AS BEFORE

A.A. Fiore
LT. USN

2000-2400 MOORED AS BEFORE

A.A. Fiore
LT. USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 L DATE Sunday (Day) 19 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE~~ FROM US NAVAL BASE CHARLESTON, SC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	SCT	30.05	78	75	2	1600	CU	—	—	—
02	—	—	10	SCT	30.05	78	75	2	1600	CU	—	—	—
03	—	—	10	SCT	30.05	78	75	2	1600	CU	—	—	—
04	—	—	10	SCT	30.05	78	75	2	1600	CU	—	—	—
05	210	3	10	SCT	30.07	77	75	2	1600	CU	—	—	—
06	200	3	10	CLR	30.08	78	75	—	—	—	—	—	—
07	—	—	10	CLR	30.10	80	78	—	—	—	—	—	—
08	—	—	10	SCT	30.12	90	80	2	1600	CU	—	—	—
09	—	—	10	SCT	30.14	97	85	2	1600	CU	—	—	—
10	—	—	10	BKN	30.14	97	84	7	1600	CU	—	—	—
11	—	—	10	BKN	30.15	94	87	7	1600	CU/ST	—	—	—
12	—	—	10	R	30.12	97	81	10	1600	NS/ST	—	—	—
13	—	—	10	BKN	30.12	97	81	6	1600	CU/ST	—	—	—
14	—	—	10	BKN	30.10	97	81	7	1600	CU/ST	—	—	—
15	140	3	10	BKN	30.10	90	85	6	1600	CU/ST	—	—	—
16	140	3	10	BKN	30.10	90	85	6	1600	CU/ST	—	—	—
17	150	7	10	BKN	30.10	88	83	6	1600	CU	—	—	—
18	140	7	10	BKN	30.10	85	79	6	1600	CU	—	—	—
19	—	—	10	SCT	30.10	84	77	5	1600	CU	—	—	—
20	—	—	10	SCT	30.11	83	77	5	1600	CU	—	—	—
21	—	—	10	CLR	30.11	82	76	—	—	—	—	—	—
22	—	—	10	CLR	30.12	81	76	—	—	—	—	—	—
23	235	5	10	CLR	30.12	80	76	—	—	—	—	—	—
24	235	5	10	CLR	30.12	80	76	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: ~~0~~ 183 DMCW

REMARKS

0000-0400 MOORED IN A NEST OF TWO SHIPS WITH USS PINNACLE (MSO-462) MOORED OUTBOARD TO STARBOARD, AT PIER "U" BERTH ONE, US NAVAL BASE CHARLESTON SC, WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SOPA IS COMDESRON SIX AT US NAVAL STATION. SHIP'S IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

A. Faire
LT USN

0400-0800 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION: ABSENTEES: NONE.

A. Faire
LT. USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. Faire, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLE (MSO-519) Sunday (Day) 19 (Date) AUGUST (Month) 1962

0800 - 1200 MOORED AS BEFORE. 0810 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

C.A. Faire
LT. USN

1200 - 1600 MOORED AS BEFORE.

C.A. Faire
LT. USN

1600 - 2000 MOORED AS BEFORE.

C.A. Faire
LT. USN

2000 - 2400 MOORED AS BEFORE.

C.A. Faire
LT. USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C.A. Faire U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE MONDAY (Day) 20 (Date) AUGUST (Month), 19 62

AT/PASSAGE FROM US NAVAL BASE CHARLESTON SC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	3	8	CLR	30.04	78	77	-	-	-	-	-	-
02	160	3	8	CLR	30.06	76	77	-	-	-	-	-	-
03	160	3	8	CLR	30.08	75	75	-	-	-	-	-	-
04	330	3	8	CLR	30.09	77	75	-	-	-	-	-	-
05	330	3	8	CLR	30.10	77	77	-	-	-	-	-	-
06	045	1	10	CLR	30.10	77	77	T	-	-	-	-	-
07	100	1	10	CLR	30.11	78	77	-	-	-	-	-	-
08	100	1	10	SCT	30.11	78	77	2	1600	CU	-	-	-
09	100	1	10	SCT	30.11	83	80	2					
10	100	1	10	SCT	30.11	90	80	0					
11	100	1	10	SCT	30.11	90	80	2	1600	CU	-	-	-
12	200	8	10	SCT	30.10	92	81	5	1600	CU	-	-	-
13	170	10	10	SCT	30.10	94	83	5	1600	CU	-	-	-
14	200	10	10	SCT	30.09	89	79	4	1600	CU	-	-	-
15	210	10	10	SCT	30.09	87	79	3	1600	CU	-	-	-
16	280	10	10	SCT	30.09	88	79	3	1600	CU	-	-	-
17	280	10	10	SCT	30.10	86	78	3	1600	CU	-	-	-
18	280	10	8	SCT	30.10	85	79	4	1600	CU	-	-	-
19	300	10	8	SCT	30.12	85	78	3	1600	CU	-	-	-
20	300	10	8	SCT	30.11	85	78	2	1600	CU	-	-	-
21	300	10	8	SCT	30.10	84	77	2	1600	CU	-	-	-
22	300	10	8	SCT	30.09	84	77	2	1600	CU	-	-	-
23	280	10	8	SCT	30.09	84	76	1	1600	CU	-	-	-
24	280	10	8	SCT	30.10	80	78	1	1600	CU	-	-	-

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

DD-84 MOORED IN A NEST OF TWO SHIPS WITH USS PINNACLE (MSO-462) MOORED OUTBOARD TO STARBOARD, AT PIER "U" BERTH ONE, US NAVAL BASE CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS of U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA is ~~COMDESLAY SIX~~ COMSUB FLOT SIX AT US NAVAL STATION. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

A.A. Faire
LT. USN

DD-88 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS ABSENTEES: NONE

A.A. Faire
LT. USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Faire, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 20 (Date) AUGUST (Month) 1962

0800-1200. MOORED AS BEFORE. 0828 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1000. USS PINNACLE UNDERWAY FROM STARBOARD SIDE OF THIS SHIP. 1003 YTB 388 ALONGSIDE STARBOARD QUARTER. 1006 PILOT HUGHES CAME ABOARD. 1009 UNDERWAY BY DEAD PLANT FROM PIER UNIFORM TO SHIFT BERTHS. CAPTAIN AND NAVIGATOR ON THE BRIDGE. PILOT CONNING. 1021 MOORED PORTSIDE TO USS ~~PINNACE~~ PINNACLE AT PIER UNIFORM BERTH ONE, USING STANDARD MOORING LINES DOUBLED. 1025 PILOT DISEMBARKS. TUG CAST OFF. 1027 COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

R R Miller ENS-USNR

1200-1600. MOORED AS BEFORE.

R R Miller ENS. USNR

1600-2000. MOORED AS BEFORE

R R Miller ENS-USNR

2000-2400. MOORED AS BEFORE

R R Miller ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE TUESDAY (Day) 21 (Date) AUGUST (Month) 19 62

AT/~~PASSAGE FROM~~ US NAVAL BASE CHARLESTON, S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	240	2	8	CLR	30.10	80	77	—	—	—	—	—	—
02	240	1	8	CLR	30.10	79	76	—	—	—	—	—	—
03	240	1	8	SCT	3009	78	76	5	1600	CU	—	—	—
04	240	1	8	SCT	3007	78	76	5	1600	CU	—	—	—
05	120	3	10	SCT	3009	78	76	5	1600	CU	—	—	—
06	060	1	10	SCT	3010	80	76	6	1600	CU	—	—	—
07	060	1	10	SCT	3011	80	76	6	1600	CU	—	—	—
08	060	1	10	SCT	3011	80	76	6	1600	CU	—	—	—
09	170	4	10	BKN	30 10	84	80	7	1600	~~CU~~	—	—	—
10	170	4	10	BKN	30 09	86	80	8	1600	~~CU~~	—	—	—
11	150	7	10	SCT	30 09	86	80	5	1600	~~AC~~	—	—	—
12	160	7	10	SCT	30 10	87	81	4	1600	CU	—	—	—
13	160	7	10	SCT	30 11	90	81	5	1600	CU	—	—	—
14	160	8	10	SCT	30 08	90	83	5	1600	CU	—	—	—
15	160	8	10	SCT	30 04	88	82	5	1600	CU	—	—	—
16	160	8	10	SCT	3003	86	80	5	1600	CU	—	—	—
17	090	8	10	BKN	3002	85	79	8	1600	~~CU~~ NS	—	—	—
18	090	8	10	BKN	30 01	55	79	8	1600	~~CU~~ NS	—	—	—
19	090	6	10	OVC	3001	84	78	10	1600	NS	—	—	—
20	110	6	10	OVC	30 01	84	78	10	1600	NS	—	—	—
21	110	5	10	OVC	3001	83	77	10	1600	NS	—	—	—
22	030	5	10	BKN	30 00	82	77	9	1600	NS	—	—	—
23	030	5	10	BKN	3000	82	76	8	1600	NS	—	—	—
24	030	5	10	BKN	3000	81	76	8	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 49.10

FUEL CONSUMED 0000–2400: 264

REMARKS

00-04. MOORED AT PIER UNIFORM BERTH ONE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, IN A NEST OF TWO SHIPS WITH USS PINNACLE (MSO-462) MOORED INBOARD TO PORT, USING STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COM SUB FLOT SIX AT U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS ~~II~~ V WITH MATERIAL CONDITION YOKE SET.

D. R. Miller ENS. USNR

04-08. MOORED AS BEFORE. 0745 MUSTERED THE CREW ~~ON~~ AT QUARTERS. ABSENTEES: HUMPHREY, P. (N.), SR USN, 547-32-61, AWOL SINCE 0730 THIS DATE.

D. R. Miller ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C. A. Frie, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-518) TUESDAY (Day) 21 (Date) AUGUST (Month), 19 62

0800-1200 MOORED AS BEFORE. 0830 SET SEA DETAIL. MAKING PREPARATIONS FOR GETTING UNDERWAY. 0911 UNDERWAY IN ACCORDANCE WITH MINRON 8 WEEKLY OPSKED. CAPTAIN AND NAVIGATOR ON BRIDGE. 0915 PORT ANCHOR ENGAGED STARBOARD "D" FLOAT OF USS PINNACLE (MSO-462). NEGLIGIBLE DAMAGE. 0925 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF CHANNEL. 0950 PASSED BENEATH GRACE MEMORIAL BRIDGE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL 1120 ENTERED INTERNATIONAL WATERS. SECURED SEA DETAIL. SET NORMAL UNDERWAY WATCH.

W. Ewell
ENS. USNR

1200-1600 STEAMING AS BEFORE. 1213 SET CONDITION 1 MIKE. 1227 COMMENCED STREAMING GEAR. MANEUVERING IN VARIOUS COURSES AT VARIOUS SPEEDS WHILE STREAMING GEAR. 1251 GEAR STOPPED OFF ON DECK. 1252 COMMENCED RECOVERING GEAR. 1313 ALL GEAR SECURED ON DECK. 1358 MANEUVERING TO DROP SONAR TARGET. 1400 DROPPED SONAR TARGET. CONDUCTING SONAR SEARCH. 1450 SONAR TARGET SECURED ON DECK. PROCEEDING TO PORT. 1524 ENTERED INLAND WATERS. SET SEA DETAIL. VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING IN CHANNEL, CHARLESTON, S.C.

W. Ewell
ENS. USNR

1600-2400 STEAMING AS BEFORE. 1650 PASSED BENEATH GRACE MEMORIAL BRIDGE 1810 MOORED SIDE TO USS RIVAL (MSO-468) SET NORMAL INPORT WATCH.

W. Ewell
ENS. USNR

2400-2400 MOORED AS BEFORE.

W. Ewell
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: C.O. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 22 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ US NAVAL BASE CHARLESTON SC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	210	6	9	B_{KN}	30.00	81	75	10	1600	NS	0	0	0
02	0	0	8	BKN	29.99	79	75	6	1600	CU	0	0	0
03	210	5	9	R	29.98	78	75	10	1600	NS	0	0	0
04	0	0	7	B_{KN}	29.99	75	73	9	1600	NS	0	0	0
05	060	3	8	BKN	29.98	76	74	9	1600	CU/NS	0	0	0
06	060	4	9	BKN	29.98	76	74	9	1600	CU/NS	0	0	0
07	255	2	9	OVC	29.97	77	73	10	1600	CU/NS	0	0	0
08	255	2	9	OVC	29.97	79	76	10	1600	CU/NS	0	0	0
09	120	1	8	OVC	30.02	86	80	10	1600	CU/NS	0	0	0
10	310	6	8	BKN	30.01	85	79	8	1600	CU/NS	83	0	0
11	310	6	8	BKN	30.00	84	83	8	1600	CU/NS	83	0	0
12	310	6	8	BKN	29.98	84	83	8	1600	CU/NS	83	0	0
13	310	6	8	BKN	29.98	84	83	8	1600	CU/NS	83	0	0
14	310	6	8	BKN	29.97	84	83	8	1600	CU/NS	83	0	0
15	310	6	8	R	29.96	83	78	10	1600	NS	83	6	0
16	310	6	8	R	29.95	83	78	10	1600	NS	83	0	0
17	0	0	8	BKN	29.96	82	77	9	1600	NS/CU	85	0	0
18	0	0	8	BKN	29.99	81	77	8	1600	NS/AC	85	0	0
19	0	0	8	SCT	29.99	80	78	5	1600	CU	0	0	0
20	0	0	8	SCT	30.02	80	77	4	1600	CU	0	0	0
21	0	0	9	SCT	30.02	80	76	3	1600	CU	0	0	0
22	0	0	10	H	30.02	80	76	10	1600	ST	0	0	0
23	0	0	10	H	30.05	80	74	10	1600	ST	0	0	0
24	0	0	9	CLR	30.00	80	78	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 33.20

FUEL CONSUMED 0000-2400: 431

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS WITH STARBOARD SIDE TO USS RUAL (MSO-468) WITH STANDARD MOORING LINES DOUBLED AT PIER "S" BERTH FOUR, US NAVAL BASE CHARLESTON, SC. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SOPA IS COMSUBFLOT SIX AT US NAVAL BASE. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

W. W. Powell
ENS. USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES: HUMPHREY, P. L., SR, AWOL SINCE 0745 21 AUGUST 1962.

W. W. Powell
ENS. USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 22 (Date) AUGUST (Month) 19 62

0800-1200 MOORED AS BEFORE. 0804 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 0920 SECURED IN PORT WATCH, SET SEA DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE MAKING ALL NECESSARY PREPARATIONS FOR GETTING UNDERWAY. DRAFT FWD 10'6" AFT 11'2" MEAN 10'10". 0944 CAPTAIN HAS THE CONN. UNDERWAY FROM PIER SIERRA BERTH 4 BRAVO IN ACCORDANCE WITH COMINCH EIGHT OP. SCHEDULE. 0941 BACKING INTO FAIRWAY AT MINECRAFT PIERS. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL LEADING OUT OF CHARLESTON HARBOR. 1021 PASSED BENEATH GRACE MEMORIAL BRIDGE. 1132 PASSED OUT OF BREAKWATER. 1145 SECURED SEA DETAIL, SET UNDERWAY WATCH.

J.H. Craig
Ensign USNR

1200-1600 STEAMING AS BEFORE. 1220 ENTERED INTERNATIONAL WATERS. 1247 SET GENERAL QUARTERS. 1309 MANEUVERING TO GAIN STATION ON U.S.S. NOTABLE (MSO-460) FOR HIGH SPEED GUNNERY EXERCISE. 1314 COMMENCED FIRING. 1315 CEASED FIRE. SECURED MOUNT. AMMUNITION EXPENDED 18 ROUNDS 40MM HE/T-SD WITH NO CASUALTIES. 1325 SET CONDITION YOKE. 1326 SECURED FROM GENERAL QUARTERS. SET CONDITION 1 MIKE. MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS WHILE MINESWEEPING.

W.H. Odell Ens USNR

1600-2000 STEAMING AS BEFORE. 1622 ENTERED INLAND WATERS. 1700 SECURED UNDERWAY WATCH. SET SEA DETAIL. CO AND NAVIGATOR ON BRIDGE MAKING ALL PREPARATIONS FOR ENTERING PORT. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL ENTERING CHARLESTON, SOUTH CAROLINA. 1755 PASSED BENEATH GRACE MEMORIAL BRIDGE. 1822 PILOT LUPTON ABOARD. 1885 MOORED STARBOARD SIDE TO U.S.S. RIVAL (MSO-468) AT PIER SIERRA BERTH FOUR, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. 1842 COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. HUMPHREY, A. (N) 547-32-61 RETURNED ABOARD FROM ABSENT WITHOUT LEAVE SINCE 0730 21 AUG 1962.

R.R. Miller Ens USNR

2000-2400 MOORED AS BEFORE.

J.H. Craig
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: C.O. Fraze, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ADAMS (DD-588) ZONE DESCRIPTION +5R DATE THURSDAY (Day) 23 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	9	SCT	29.98	80	77	3	1600	CU	0	0	0
02	0	0	9	BKN	30.00	80	76	6	1600	CU	0	0	0
03	0	0	9	BKN	30.00	80	76	8	1600	CU	0	0	0
04	324	4	9	BKN	30.00	80	76	8	1600	CU	0	0	0
05	324	5	9	BKN	30.00	80	76	8	1600	CU	0	0	0
06	100	7	6	BKN	30.01	78	75	8	1600	CU	0	0	0
07	106	7	6	BKN	30.03	78	75	8	1600	CU	0	0	0
08	0	0	8	BKN	30.03	93	79	8	1600	CU	0	0	0
09	065	9	10	BKN	30.05	83	79	7	1600	CU/NS	0	0	0
10	065	10	10	BKN	30.05	84	79	7	1600	CU/NS	85	065	1
11	065	10	10	BKN	30.06	84	78	7	1600	CU/NS	86	065	1.5
12	065	10	10	BKN	30.06	84	78	7	1600	CU/NS	86	065	1.5
13	050	10	10	BKN	30.05	88	81	6	1600	CU/NS	86	0	0
14	070	9	10	BKN	30.03	89	79	6	1600	CU/NS	86	0	0
15	075	10	10	BKN	30.02	88	79	6	1600	CU/NS	0	0	0
16	090	10	10	BKN	30.03	87	77	5	1600	CU/NS	0	0	0
17	180	8	10	BKN	30.03	86	76	6	1600	CU/NS	0	0	0
18	180	7	10	BKN	30.02	85	75	8	1600	CU	0	0	0
19	010	9	10	BKN	30.04	80	75	6	1600	CU/NS	0	0	0
20	010	10	8	BKN	30.05	80	75	6	1600	CU/NS	0	0	0
21	010	10	8	BKN	30.06	78	74	7	1600	CU/NS	0	0	0
22	040	8	8	CLR	30.08	77	73	0	2600	0	0	0	0
23	040	8	8	CLR	30.09	77	73	0	0	0	0	0	0
24	040	8	8	CLR	30.09	76	71	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 4730

FUEL CONSUMED 0000-2400: 1222

REMARKS

0000-0400 MOORED STARBOARD SIDE TO U.S.S. RIVAL (AGS-468) AT PIER SIERRA BERTH FOUR U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA IN A NEST OF TWO SHIPS WITH STANDARD MOORING LINES DOUBLED TO THE U.S.S. RIVAL INBOARD. SOPA IS COMDESRON 6 AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET AMS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

J.A. King
Ensign USNR

0400-0800 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE. 0740 SECURED IN PORT WATCH. SET SEA DETAIL. 0743 CAPTAIN AND NAVIGATOR ON THE BRIDGE MAKING ALL NECESSARY PREPARATIONS PRIOR TO GETTING UNDERWAY. OOD AT THE CONN. 0747 DRAFT FWD 10'6" AFT 11'2" MEAN 10'10" TONNAGE 970.

J.A. King, Ensign USNR

APPROVED: J. [illegible] U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 23 (Date) AUGUST (Month) 62

0800-1200. MOORED AS BEFORE. 0806 UNDERWAY FROM ALONG SIDE USS RIVAL. PROCEEDING TO CHARLESTON OP AREA IN ACCORDANCE WITH COMINRON 8 WEEKLY OP SCHEDULE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEED TO CLEAR THE PIERS AND CONFORM TO THE CHANNEL STANDING OUT OF CHARLESTON HARBOR, SOUTH CAROLINA. CAPTAIN CONNING. NAVIGATOR ON THE BRIDGE. 0831 PASSED BENEATH GRACE MEMORIAL BRIDGE. 0857 PASSED FORT SUMTER ABEAM TO STARBOARD. 0937 SECURED SEA DETAIL. SET REGULAR UNDERWAY WATCH. 0940 ENTERED INTERNATIONAL WATERS. CLEARED CHANNEL. SET COURSE 150°, SPEED 12 KTS. 0950 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. 0957 C/C TO 095°. 1015 SET CONDITION ONE MIKE. COMMENCED MANEUVERING TO FACILITATE MINE SWEEPING EXERCISE. 1040 LAUNCHED "O" TYPE GEAR. 1141 RECOVERED MINESWEEP GEAR. SET COURSE 180°. 1157 C/C TO 295°.

R R Miller ENS. USNR

1200-1600. STEAMING AS BEFORE. 1206 C/C TO 014°. 1219 C/S TO 10 KTS. 1240 C/C TO 310°. 1230 ENTERED INLAND WATERS. COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEED TO CONFORM TO THE CHANNEL STANDING INTO CHARLESTON, SOUTA CAROLINA. 1310 SET SEA DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1340 PASSED BENEATH GRACE MEMORIAL BRIDGE. 1418 TUG 527 ALONGSIDE TO PORT. PILOT HUGHES CAME ABOARD. 1419 CAST OFF TUG. 1423 MOORED STARBOARD SIDE TO USS RIVAL (MSO-468) AT PIER SIERRA, BERTH FOUR, AT U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. 1429 SECURED SEA DETAIL. SET REGULAR INPORT WATCH. PILOT DISEMBARKED. 1437 COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. 1458

R R Miller ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller ENS-USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 24 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	7	8	R	30.09	75	71	10	1500	NS	0	0	0
02	040	7	8	CLR	30.09	75	71	0	0	0	0	0	0
03	050	7	8	R	30.08	74	71	10	1500	NS	0	0	0
04	060	8	7	R	30.07	73	72	10	1500	NS	0	0	0
05	120	10	8	R	30.05	74	73	10	1500	NS	0	0	0
06	160	8	10	OVC	30.04	75	73	10	1600	NS	0	0	0
07	140	8	8	OVC	30.08	73	72	10	1600	NS	0	0	0
08	160	8	8	BKN	30.08	75	73	8	1600	NS	0	0	0
09	060	8	9	BKN	30.08	79	76	7	1600	NS/CU	85	065	.5
10	050	8	9	BKN	30.08	81	77	7	1600	NS/CU	85	065	2
11	065	12	9	BKN	30.09	83	77	7	1600	NS/CU	85	0	0
12	030	10	8	BKN	30.10	83	76	7	1600	NS/CU	0	0	0
13	300	10	8	BKN	30.10	83	75	7	1600	CU	0	0	0
14	090	10	10	BKN	30.10	83	75	7	1600	CU	0	0	0
15	080	10	10	BKN	30.10	83	75	7	1600	CU	0	0	0
16	070	10	11	SCT	30.06	83	75	4	1600	CU	0	0	0
17	060	11	11	SCT	30.05	85	75	3	1600	CU	0	0	0
18	000	8	11	SCT	30.04	82	74	2	1600	CU	0	0	0
19	060	5	10	SCT	30.04	82	74	2	1600	CU	0	0	0
20	030	5	10	CLR	30.09	81	75	0	0	0	0	0	0
21	030	6	6	CLR	30.09	79	73	0	0	0	0	0	0
22	030	6	9	BKN	30.09	78	70	8	1500	CU/NS	0	0	0
23	030	5	9	BKN	30.09	76	69	8	1500	CU/NS	0	0	0
24	010	6	9	BKN	30.09	75	69	8	1600	CU/NS	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 373.6

FUEL CONSUMED 0000-2400: 3000

REMARKS

00-04. MOORED STARBOARD SIDE TO USS RIVAL (MSO-468) USING STANDARD MOORING LINES DOUBLED AT PIER SIERRA, BERTH FOUR, US NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. RECEIVING VARIOUS SERVICES FROM THE PIER.

R.R. Miller ENS. USNR

04-08. MOORED AS BEFORE. 0720 MOSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0730 SET SEA DETAIL. 0740 DRAFT PRIOR TO GETTING UNDERWAY: FORWARD 10'6", AFT 11'2". CAPTAIN AND NAVIGATOR ON THE BRIDGE.

R.R. Miller ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fine, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-579) FRIDAY (Day) 24 (Date) AUGUST (Month) 1962

08-12 MOORED AS BEFORE. 0813 UNDERWAY IN ACCORDANCE WITH COMINCON 8 WEEKLY OPSKED. 0814 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF CHANNEL. 0827 PASSED BENEATH GRACE MEMORIAL BRIDGE. 0941 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0949 MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING IN THE CHANNEL, CHARLESTON, S.C. 1015 MADE WEEKLY INSPECTION OF MAGAZINE FLOODING AND SPRINKLING SYSTEM. CONDITIONS SATISFACTORY. 1101 PASSED BENEATH GRACE MEMORIAL BRIDGE. 1117 MOORED PIER "S". 1126 USS NUTABLE (MSO-460) MOORED OUTBOARD TO PORT.

EM. USNR

12-16 MOORED AS BEFORE.

EM. USNR

16-20 MOORED AS BEFORE.

EM. USNR

20-24 MOORED AS BEFORE.

EM USNR.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

G.O. Fiore LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABLE (MSO-519) ZONE DESCRIPTION +5 R DATE SATURDAY 25 (Day) (Date) AUGUST (Month), 19 62

AT/PASSAGE FROM U S NAVAL BASE CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	7	9	BKN	30.07	74	68	5	1600	CU	0	0	0
02	150	7	9	R	30.07	73	67	10	1600	CU	0	0	0
03	155	7	9	R	30.06	72	67	10	1600	CU	0	0	0
04	060	8	10	BKN	30.06	74	74	7	1600	NS	0	0	0
05	060	7	10	BKN	30.06	74	74	9	1600	NS	0	0	0
06	060	7	10	BKN	30.06	74	74	9	1600	NS	0	0	0
07	045	8	10	BKN	30.07	78	76	8	1600	NS	0	0	0
08	130	5	10	BKN	30.09	77	75	9	1600	NS	0	0	0
09	185	10	10	BKN	30.09	90	84	8	1600	NS	0	0	0
10	150	12	10	BKN	30.09	90	86	8	1600	NS	0	0	0
11	140	12	10	SCT	30.08	87	80	7	1600	NS	0	0	0
12	140	12	10	SCT	30.06	86	79	5	1600	CU	0	0	0
13	140	13	10	SCT	30.06	84	81	5	1600	CU	0	0	0
14	140	13	10	BKN	30.06	82	81	7	1600	CU	0	0	0
15	140	13	10	BKN	30.05	82	81	7	1600	CU	0	0	0
16	140	13	10	BKN	30.04	82	81	7	1600	CU	0	0	0
17	140	10	10	BKN	30.02	82	81	7	1600	CU	0	0	0
18	140	9	10	BKN	30.00	74	76	7	1600	CU	0	0	0
19	190	8	9	BKN	30.00	74	76	7	1600	CU	0	0	0
20	175	8	9	BKN	29.95	77	74	7	1600	CU	0	0	0
21	170	8	9	BKN	29.93	75	72	7	1600	CU	0	0	0
22	185	8	8	BKN	29.92	73	70	8	1600	CU	0	0	0
23	185	8	8	BKN	29.92	71	69	8	1600	CU	0	0	0
24	185	8	8	BKN	29.91	71	69	8	1600	CU	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400
~~0~~ 25 JMW

REMARKS

0000-0400 MOORED IN A NEST OF TWO SHIPS AT PIER "S" BERTH 2 U S NAVAL BASE, CHARLESTON, S.C. WITH USS NOTOBLE (MSO-460) OUTBOARD TO PORT. USING STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS of US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SOPA is COMINLANT AT US NAVAL STATION. SHIPS IS IN condition 4 READINESS I WITH MATERIAL CONDITION YOKE SET.

W. Reed
Ens. USN.

0400-0800 MOORED AS BEFORE. 0745 MUSTERED CREW IN STATION ABSENTEES NONE.

W. Reed Ens USN

APPROVED:

U.S.N. COMMANDING

EXAMINED:

J. A. Fore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP BULLFINCH (MSO-519) SATURDAY (Day) 25 (Date) AUGUST (Month), 1962

0800-1200 MOORED AS BEFORE. 1430 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J.H. King
Ensign USNR

1200-1600 MOORED AS BEFORE.

J.H. King
Ensign USNR

1600-2400 MOORED AS BEFORE.

J.H. King
Ensign USNR

0000-2400 MOORED AS BEFORE.

J.H. King
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: G.A. Fiore, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 R DATE SUNDAY (Day) 26 (Date) AUG (Month), 19 62

~~AT~~/PASSAGE FROM U.S. NAVAL BASE CHARLESTON S.C. TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	185	10	3	R	29.91	70	67	10	1600	NS	0	0	0
02	185	10	7	BKN	29.90	70	67	9	1600	NS	0	0	0
03	185	10	8	BKN	29.90	70	67	8	1600	NS	0	0	0
04	180	6	9	BKN	29.93	73	70	7	1600	NS	0	0	0
05	185	8	7	R	29.96	75	75	10	1600	NS	0	0	0
06	185	6	7	R	29.96	75	75	10	1600	NS	0	0	0
07	185	6	7	R	29.97	75	75	10	1600	NS	0	0	0
08	160	6	7	R	29.98	75	75	10	1600	NS	0	0	0
09	090	7	7	BKN	29.98	75	74	9	1600	NS	0	0	0
10	070	7	6	BKN	30.00	75	74	9	1600	NS	0	0	0
11	070	8	6	R	30.01	74	74	10	1600	NS	0	0	0
12	090	7	6	R	30.03	73	74	10	1600	NS	0	0	0
13	070	7	6	R	30.03	73	74	10	1600	NS	0	0	0
14	100	7	6	R	30.04	73	74	10	1600	NS	0	0	0
15	110	7	6	R	30.03	73	74	10	1600	NS	0	0	0
16	320	7	10	BKN	30.03	73	74	7	1600	NS	0	0	0
17	320	7	10	BKN	30.03	73	74	7	1600	NS	0	0	0
18	320	6	9	BKN	30.00	73	74	7	1600	NS	0	0	0
19	320	6	9	BKN	29.92	73	74	7	1600	NS	0	0	0
20	225	6	5	R	29.91	73	74	10	1600	NS	0	0	0
21	335	7	5	R	29.91	71	73	10	1600	NS	0	0	0
22	340	7	4	R	29.91	70	72	10	1600	NS	0	0	0
23	330	9	7	R	29.90	68	70	10	1600	NS	0	0	0
24	350	9	7	R	29.90	68	70	10	1600	NS	0	0	0

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0⌀-04 MOORED STARBOARD SIDE TO PIER SIERRA BERTH TWO, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (MSO-460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

J.H. King
Ensign USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION: ABSENTEES: NONE.

J.H. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.G. Fiore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABILITY (MSO-519) Sunday (Day) 26 (Date) AUGUST (Month) 1962

0800-1200 MOORED AS BEFORE. 0845 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

J H King
Ensign USNR

1200-1600 MOORED AS BEFORE.

J H King
Ensign USNR

1600-2000 MOORED AS BEFORE.

J H King
Ensign USNR

2000-2400 MOORED AS BEFORE.

J H King
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: C.A. Fiore, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 15R DATE MONDAY (Day) 27 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	340	10	10	CLR	29.80	75	73	0	0	0	0	0	0
02	340	8	10	CLR	29.80	74	73	0	0	0	0	0	0
03	310	8	10	CLR	29.80	74	73	0	0	0	0	0	0
04	350	10	10	SCT	29.80	74	73	4	1600	CU	0	0	0
05	350	5	10	BKN	29.81	75	74	6	1600	CU/NS	0	0	0
06	330	8	9	BKN	29.83	74	74	7	1600	CU/NS	0	0	0
07	350	10	9	OVC	29.84	75	74	10	1600	NS	0	0	0
08	340	10	10	OVC	29.84	75	74	10	1600	NS	0	0	0
09	340	10	10	OVC	29.84	75	74	10	1600	NS	0	0	0
10	340	10	10	OVC	29.84	75	74	10	1600	NS	0	0	0
11	340	12	10	OVC	29.82	76	75	10	1600	NS	0	0	0
12	330	10	10	OVC	29.82	76	75	10	1600	NS	0	0	0
13	330	10	10	OVC	29.81	77	76	10	1600	NS	0	0	0
14	330	10	10	BKN	29.80	77	76	8	1600	NS	0	0	0
15	320	12	10	BKN	29.80	80	77	8	1600	CU/NS	0	0	0
16	320	12	10	SCT	29.80	79	78	5	1600	CU	0	0	0
17	320	12	10	SCT	29.80	78	77	5	1600	CU	0	0	0
18	320	12	10	SCT	29.80	71	70	4	1600	CU	0	0	0
19	320	12	10	SCT	29.80	75	73	4	1600	CU	0	0	0
20	320	12	10	SCT	29.80	75	74	4	1600	CU	0	0	0
21	320	12	10	SCT	29.80	75	75	3	1600	CU	0	0	0
22	340	12	10	SCT	29.80	75	75	3	1600	CU	0	0	0
23	340	14	10	SCT	29.80	75	74	3	1600	CU	0	0	0
24	340	14	10	SCT	29.80	75	74	3	1600	CU	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0004 MOORED STARBOARD SIDE TO PIER SIERRA BERTH TWO, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (MSO-466) MOORED OUTBOARD TO PORT. SOPA IS COMSUBFLOT SIX AT U.S. NAVAL STATION. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J.H. Craig
Ensign USNR

0401-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE.

J.H. Craig
Ensign USNR

APPROVED: J. Kerrigan U.S.N. COMMANDING

EXAMINED: A.L. Forse, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 27 (Date) AUGUST (Month) 19 62

0800 - 1200 MOORED AS BEFORE. 0900 COMSUBFLOT SIX ASSUMES DUTIES OF SOPA. 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

W. J. Deell
ENS. USNR

1200-1600 MOORED AS BEFORE.

W. J. Deell
ENS. USNR

1600-2000 MOORED AS BEFORE.

W. J. Deell
ENS. USNR

2000-2400 MOORED AS BEFORE.

W. J. Deell
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 28 (Date) AUGUST (Month), 19 62

AT/PASSAGE FROM US NAVAL BASE CHARLESTON, TO S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	270	5	7	OVC	29.88	75	71	10	1600	NS	0	0	0
02	270	5	8	OVC	29.88	75	70	10	1600	NS	0	0	0
03	270	5	8	OVC	29.87	75	70	10	1600	NS	0	0	0
04	250	5	8	OVC	29.87	75	69	10	1600	NS	0	0	0
05	250	5	8	OVC	29.87	74	69	10	1600	NS	0	0	0
06	260	5	8	OVC	29.88	74	70	10	1600	NS	0	0	0
07	265	7	8	OVC	29.88	74	70	10	1600	NS	0	0	0
08	270	4	8	OVC	29.88	74	70	10	1600	NS	0	0	0
09	270	4	8	OVC	29.88	75	73	10	1600	NS	0	0	0
10	270	3	9	BKN	29.92	80	80	8	1600	NS	0	0	0
11	270	2	10	BKN	29.92	95	80	7	1600	CU	0	0	0
12	270	2	10	SCT	29.91	95	87	4	1600	CU	0	0	0
13	270	2	10	SCT	29.89	82	84	4	1600	CU	0	0	0
14	270	2	10	SCT	29.87	90	80	4	1600	CU	0	0	0
15	270	4	10	SCT	29.88	90	80	4	1600	CU	0	0	0
16	170	4	10	SCT	29.88	90	80	5	1600	CU	0	0	0
17	180	5	10	SCT	30.00	84	70	5	1600	CU	0	0	0
18	060	5	8	SCT	30.00	80	70	5	1600	CU	0	0	0
19	120	5	8	SCT	30.02	78	70	4	1600	CU	0	0	0
20	180	5	8	SCT	30.02	78	70	4	1600	CU	0	0	0
21	180	5	8	SCT	30.00	78	70	3	1600	CU	0	0	0
22	120	5	7	SCT	30.00	78	70	3	1600	CU	0	0	0
23	180	5	7	SCT	30.00	78	70	2	1600	CU/NS	0	0	0
24	0	0	8	SCT	30.00	76	70	2	1600	CU/NS	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER "5" BERTH 2 US NAVAL BASE CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. MOORED AT A NEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) MOORED OUTBOARD TO PORT. SOPA IS COMSUBFLOT SIX AT US NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

[signature]
ENS. USNR

0745
04-08 MOORED AS BEFORE. MUSTERED CREW AT QUARTERS. ABSENTEES: NONE

[signature]
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 28 (Date) AUGUST (Month), 19 62

0800-1200. MOORED AS BEFORE. 0845 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R.R. Miller ENS. USNR

1200-1600. MOORED AS BEFORE.

R.R. Miller ENS. USNR

1600-2000. MOORED AS BEFORE.

R.R. Miller ENS. USNR

2000-2400. MOORED AS BEFORE.

R.R. Miller ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Frary LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 29 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	8	SCT	30.00	76	70	5	1600	CU	0	0	0
02	0	0	8	SCT	30.00	76	70	5	1600	CU	0	0	0
03	0	0	8	SCT	29.95	77	70	5	1600	CU	0	0	0
04	0	0	8	SCT	29.92	77	70	5	1600	CU	0	0	0
05	0	0	8	SCT	29.93	77	70	4	1600	CU	0	0	0
06	220	2	7	SCT	29.93	77	70	3	1600	CU	0	0	0
07	220	2	7	SCT	29.95	84	79	3	1600	CU	0	0	0
08	045	4	8	SCT	29.97	87	82	4	1600	CU	0	0	0
09	350	3	10	SCT	29.98	87	81	4	1600	CU	0	0	0
10	010	3	10	SCT	29.98	90	80	4	1600	CU	0	0	0
11	000	4	10	SCT	29.97	94	83	3	1600	CU	0	0	0
12	180	5	10	SCT	29.97	90	82	4	1600	CU	0	0	0
13	185	6	10	SCT	29.97	89	81	5	1600	CU	0	0	0
14	185	6	10	SCT	29.97	87	80	4	1600	CU	0	0	0
15	205	15	10	SCT	29.97	87	80	3	1600	CU	0	0	0
16	225	8	10	SCT	29.93	88	80	5	1600	CU	0	0	0
17	230	3	10	SCT	29.91	89	80	4	1600	CU	0	0	0
18	235	3	10	SCT	29.91	82	72	3	1600	CU	0	0	0
19	240	3	10	SCT	29.91	80	71	3	1600	CU	0	0	0
20	250	2	10	SCT	29.92	78	71	3	1600	CU	0	0	0
21	340	2	10	SCT	29.91	78	71	2	1600	CU	0	0	0
22	340	2	10	CLR	29.91	78	71	0	0	0	0	0	0
23	340	2	10	CLR	29.90	78	71	0	0	0	0	0	0
24	0	0	8	CLR	29.90	77	71	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400. MOORED STARBOARD SIDE TO PIER SIERRA, BERTH TWO, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO-460) MOORED OUTBOARD TO PORT. SOPA IS COMSUBFLOT SIX AT U.S. NAVAL STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN ~~AAA~~ CONDITION OF Rom READINESS II WITH MATERIAL CONDITION YOKE SET. RECEIVING VARIOUS SERVICES FROM THE PIER.

R R Miller ENS. USNR

0400-0800. MOORED AS BEFORE. 0745. MUSTERED THE CREW AT QUARTERS. ABSENTEES: SHEARN, E.P., 512 01 66, SFP3, USN, ABSENT WITHOUT AUTHORITY FROM MUSTER. 0759 SHEARN, E.P., 5120166, SFP3, USN, RETURNED ABOARD, HAVING BEEN AWOL SINCE 0730 THIS DATE. R R Miller ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fiori, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY/29 AUG. 1962
(Day) (Date) (Month)

Ø8-12 MOORED AS BEFORE. 1ØØ9 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J.A. Kuig
Ensign USNR

12-16 MOORED AS BEFORE. 1409 U.S.S. NOTABLE (MSO-466) UNDERWAY FROM PORT SIDE THIS SHIP. MOORS TO PIER ASTERN BERTH FOUR.

J.A. Kuig
Ensign USNR

16-2Ø MOORED AS BEFORE. 1810 HELD FIRE DRILL IN GALLEY AND MESS DECKS. 1820 SECURED FROM FIRE DRILL.

J.A. Kuig
Ensign USNR

2Ø-24 MOORED AS BEFORE.

J.A. Kuig
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fraze, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (COMSO-519) ZONE DESCRIPTION +5K DATE THURSDAY (Day), AUGUST (Month) 30 (Date), 1962

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	9	CLR	29.94	78	71	0	0	0	0	0	0
02	340	2	9	CLR	29.95	76	70	0	0	0	0	0	0
03	340	2	8	CLR	29.95	76	71	0	0	0	0	0	0
04	340	3	8	CLR	29.96	76	73	0	0	0	0	0	0
05	340	3	7	SCT	29.97	75	75	3	4500	ST	0	0	0
06	340	6	7	SCT	29.97	75	75	5	4500	ST	0	0	0
07	240	7	10	SCT	30.00	76	75	5	4000	ST	0	0	0
08	240	7	10	BKN	30.02	82	80	6	1600	CU	0	0	0
09	240	7	10	BKN	30.04	82	83	6	1600	CU	0	0	0
10	230	6	10	SCT	30.04	90	83	5	1600	CU	0	0	0
11	240	3	10	SCT	30.04	96	85	4	1600	CU	0	0	0
12	240	4	10	BKN	30.02	95	81	7	1600	CU	0	0	0
13	240	7	10	BKN	30.02	94	81	7	1600	CU	0	0	0
14	240	7	10	BKN	30.00	90	82	7	1600	CU	0	0	0
15	240	8	10	BKN	29.98	88	83	7	1600	CU	0	0	0
16	120	12	8	BKN	29.98	85	83	8	1600	CU	0	0	0
17	120	12	7	BKN	29.97	85	78	8	1600	CU	0	0	0
18	120	12	8	OVC	29.98	84	78	10	1600	CU	0	0	0
19	125	6	8	OVC	29.98	80	74	10	1600	CU	0	0	0
20	125	6	8	OVC	29.98	80	74	10	1600	CU	0	0	0
21	120	3	9	OVC	29.98	80	74	10	1600	CU	0	0	0
22	120	3	9	OVC	29.98	80	74	10	1600	CU	0	0	0
23	120	3	9	OVC	29.97	80	74	10	1600	CU	0	0	0
24	120	3	9	CLR	29.96	80	74	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 MOORED STARBOARD SIDE TO PIER SIERRA BERTH TWO U.S. NAVAL STATION CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED TO THE PIER ~~IN A NEAT OFFAK~~ SOPA IS COMSUBFLOT SIX AT U.S. NAVAL ~~SAK~~ STATION. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

J.H. King
Ensign USNR

0400-0800 MOORED AS BEFORE. 0744 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J.H. King
Ensign USNR

APPROVED: J.H. King U.S.N. COMMANDING

EXAMINED: A.A. Feare, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 30 (Date) AUGUST (Month) 19 62

08-12 MOORED AS BEFORE. 11ØØ MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

W. B. Duvall
ENS. USNR

12-16 MOORED AS BEFORE.

W. B. Duvall
ENS. USNR

16-20 MOORED AS BEFORE.

W. B. Duvall
ENS USNR

20-24 MOORED AS BEFORE.

W. B. Duvall
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE FRIDAY (Day) 31 (Date) AUGUST (Month), 19 62

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	3	10	CLR	30.01	78	75	0	0	0	0	0	0
02	130	3	10	CLR	30.00	75	74	0	0	0	0	0	0
03	150	3	10	CLR	30.00	75	74	0	0	0	0	0	0
04	150	3	10	CLR	30.00	74	73	0	0	0	0	0	0
05	0	0	8	CLR	30.00	73	72	0	0	0	0	0	0
06	0	0	8	CLR	30.00	73	72	0	0	0	0	0	0
07	060	5	8	CLR	30.01	82	71	0	0	0	0	0	0
08	050	6	10	SCT	30.06	85	79	3	1600	CU	0	0	0
09	065	6	10	SCT	30.07	83	80	3	1600	CU	0	0	0
10	200	5	10	SCT	30.07	89	84	4	1600	CU	0	0	0
11	185	6	10	SCT	30.07	90	85	4	1600	CU	0	0	0
12	185	6	10	SCT	30.08	91	90	4	1600	CU	0	0	0
13	180	6	10	SCT	30.08	91	90	3	1600	CU	0	0	0
14	190	6	10	SCT	30.07	90	87	3	1600	CU	0	0	0
15	210	5	9	SCT	30.06	87	83	2	1600	CU	0	0	0
16	215	9	9	SCT	30.04	85	76	5	1600	CU	0	0	0
17	215	6	9	SCT	30.03	84	76	1	1600	CU	0	0	0
18	180	8	9	CLR	30.02	83	76	0	0	0	0	0	0
19	180	8	6	CLR	30.01	81	76	0	0	0	0	0	0
20	180	4	10	CLR	30.02	80	74	0	0	0	0	0	0
21	180	4	10	CLR	30.04	76	72	0	0	0	0	0	0
22	180	4	10	CLR	30.06	74	69	0	0	0	0	0	0
23	200	4	10	CLR	30.07	70	67	0	0	0	0	0	0
24	200	3	10	CLR	30.08	77	76	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

REMARKS

0000 MOORED STARBOARD SIDE TO PIER "S" BERTH 2A CHARLESTON, S.C. NEST OF TWO SHIPS WITH USS SALUTE (MSO-470) MOORED OUTBOARD TO PORT, WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SOPA IS COMCRUDESFLOT SIX AT US NAVAL STATION. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

W. H. Howell
ENS. USNR

0000-0800 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

W. H. Howell
ENS. USNR.

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: R. A. Fair, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 31 (Date) AUGUST (Month), 19 62

0800-1200 MOORED AS BEFORE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELETS POWDER SAMPLES: CONDITIONS NORMAL.

J. H. Craig
Ensign USNR

1200-1600 MOORED AS BEFORE.

J. H. Craig
Ensign USNR

1600-2000 MOORED AS BEFORE. 1744 HELD FIRE DRILL. 1802 SECURED FIRE DRILL.

J. H. Craig
Ensign USNR

2000-2400 MOORED AS BEFORE.

J. H. Craig
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH